



1966]
1st Quarter

[No. 409

AN ROINN SLÁINTE

TUARASCÁIL CINN RÁITHE

ar

BHREITHEANNA, BHÁSA AGUS PHÓSTAÍ

agus ar

GHALAIR ÁIRITHE AICÍDEACHA

QUARTERLY REPORT

ON

BIRTHS, DEATHS AND MARRIAGES

AND ON

CERTAIN INFECTIOUS DISEASES

MARCH QUARTER, 1966

Compiled by the Central Statistics Office

To be purchased directly from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE,
DUBLIN, or through any Bookseller

Price Sixpence Net

CONTENTS

MARCH QUARTER, 1966

Text	PAGE
		3
Table	I. Marriages, Births, Deaths and Infant Mortality 	4
„	II. Deaths from Principal Causes 	5
„	III. Deaths registered, classified by Cause and Age Group 	6
„	IV. Deaths classified by Cause and by County of Residence of Deceased 	8
„	V. Births classified by County of Occurrence and by Residence of Mother. Marriages classified by County in which registered. Birth and Marriage Rates 	10
„	VI. Deaths classified by County of Occurrence and County of Residence of Deceased. Death, Infant Mortality and Neo-natal Mortality Rates for each County 	11
„	VII. Births and Deaths assigned to the Principal Towns (other than the County Boroughs and Dun Laoghaire Borough) 	12
„	VIII. Summary of cases of Infectious Diseases notified to the Department of Health 	13

NOTE—The figures in this reprot for 1965 and 1966 are provisional, while those relating to 1964 and earlier years are definitive. The numbers of births and deaths are exclusive of late registrations, i.e., births and deaths registered on the authority of An tArd-Chlaraitheoir. Births, deaths and marriages are registered in the county or county borough in which they occur. In the case of births and deaths assigned figures, i.e., those relating to residents of each area, are also shown.

MARCH QUARTER, 1966

MARRIAGES

The number of marriages returned during the quarter was 3,410 equivalent to an annual rate of 4.8 per 1,000 population; the same as that for the corresponding quarter of 1965.

Of the total marriages 3,298 were celebrated in accordance with the rites and ceremonies of the Catholic Church, being equivalent to a rate of 4.9 per 1,000 of Catholics in the population. The remainder, 112, is equivalent to a rate of 3.1 per 1,000 of the population other than Catholic.

The number of marriages registered in each county and county borough in the quarter is shown in Table V.

BIRTHS

The number of births registered during the quarter was 15,004, of which 7,771 were those of males and 7,233 were those of females. This number represents a rate of 21.0 per 1,000 of the population per annum, being 0.3 below that for the first quarter of 1965.

The total includes 298 illegitimate births, equivalent to 2.0 per cent of all births registered.

The number of births registered in each county and county borough, and also births assigned according to the area of normal residence of the mother, are shown in Table V.

DEATHS

The number of deaths registered during the quarter was 10,455 of which 5,672 were those of males and 4,783 were those of females. The equivalent annual rate was 14.6 per 1,000 population, being 1.6 above the rate for the first quarter of 1965.

Deaths classified according to cause, sex and age group are shown in Table III, and according to cause and area of residence in Table IV. The number of deaths registered in each area is shown in Table VI.

Tuberculosis.—Deaths from this disease numbered 112, including 98 from tuberculosis of the respiratory system and 14 from other forms of tuberculosis. Corresponding figures for the first quarter of 1965 were 95, 91 and 4 respectively. For rates see Table II.

Other Infectious Diseases.—There were 4 deaths from measles, 2 each from meningococcal infections, infectious hepatitis, acute infectious encephalitis and herpes zoster, 3 from septicaemia and one from streptococcal sore throat.

Malignant Neoplasms.—Deaths under this heading numbered 1,295, being equivalent to a rate of 1.8 per 1,000 population. Of these, 567 or 44 per cent, were due to malignant neoplasms of the digestive system.

Diseases of Circulatory System.—Deaths under this heading numbered 3,861, being equivalent to a rate of 5.4 per 1,000 population. Of these, coronary and arteriosclerotic heart disease accounted for 1,660 or 43 per cent, while 969 or 25 per cent were due to other myocardial degeneration.

Diseases of Respiratory System.—Deaths from influenza numbered 463, pneumonia accounted for 606 deaths, while the remaining respiratory diseases caused 762 deaths; corresponding figures for the first quarter of 1965 were 55, 457 and 625 respectively.

Maternal Mortality.—There were 3 deaths due to complications of pregnancy and child-birth, equivalent to a rate of 0.2 per 1,000 births registered. The rate for the first quarter of 1965 was 0.2

Infant Mortality.—There were 408 deaths of infants under one year of age and 276 of these occurred at ages under 4 weeks. The infant mortality rate was 27 per 1,000 births registered and the neo-natal rate was 18. The rates for the corresponding quarter of 1965 were 25 and 17. The rates for counties are shown in Table VI.

Population.—The estimated population in April, 1965 was 2,855,000.

Table II.—DEATHS from some of the PRINCIPAL CAUSES registered during each of the years 1961 to 1966 by quarterly

YEAR AND QUARTER		DEATHS FROM										ANNUAL DEATH RATES						
												Per 1,000 population			Per 1,000 births			
												Tuberculosis	Other forms	Respiratory system				
{ First Quarter 1965		Typhoid fever	Scarlet fever	Diphtheria	Whooping Cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Malignant neoplasms	Influenza	Gastro-enteritis (under 2 years)	Complica- tions of pregnancy and childbirth	Respiratory system	Other forms	Malignant neoplasms	Influenza	Complica- tions of pregnancy and childbirth	
		13	152	.	1	6	1	8	10	1,198	946	23	4	0.22	0.02	1.7	1.3	0.3
		10	124	.	1	.	.	1	4	1,249	195	14	8	0.18	0.01	1.8	0.3	0.3
		6	119	.	1	.	.	1	2	1,180	68	9	5	0.17	0.01	1.7	0.1	0.3
		4	120	4	2	1,234	80	14	6	0.17	0.01	1.7	0.1	0.4
{ 1st Quarter, 1966		14	98	.	.	.	2	4	1,295	463	23	3	0.14	0.02	1.8	0.6	0.2	
		15	73	.	2	3	2	2	11	1,166	131	35	7	0.10	0.02	1.7	0.2	0.4
		17	95	.	.	.	1	1	6	1,213	81	16	10	0.13	0.02	1.7	0.1	0.6
		10	94	1	.	.	1	1	5	1,240	60	13	6	0.13	0.01	1.7	0.1	0.4
		6	85	.	3	3	.	4	3	1,247	196	17	8	0.12	0.01	1.7	0.3	0.5
{ 2nd Quarter, 1966		6	75	3	1,192	41	37	10	0.11	0.01	1.7	0.1	0.6
		5	74	.	.	.	1	.	4	1,137	34	19	10	0.11	0.01	1.6	0.0	0.7
		13	78	1	.	1	1	1	1	1,184	25	15	5	0.11	0.01	1.7	0.0	0.3
		7	75	.	1	1	1	1	1	1,266	18	15	6	0.10	0.02	1.8	0.0	0.4
		10	70	.	1	1	2	.	3	1,264	23	18	9	0.10	0.01	1.8	0.0	0.5
{ 3rd Quarter, 1966		10	53	.	1	1	.	3	1,249	18	33	3	0.07	0.01	1.7	0.0	0.2	
		6	82	.	.	.	1	1	6	1,203	43	20	6	0.12	0.01	1.7	0.1	0.4
		7	90	1	.	1	2	1	1	1,251	17	17	4	0.13	0.01	1.8	0.0	0.3
		10	100	.	3	1	2	4	2	1,352	11	18	5	0.14	0.01	1.8	0.0	0.3
		12	93	1	3	1	4	1	1	1,217	17	16	7	0.13	0.01	1.7	0.0	0.5
{ 4th Quarter, 1966		81	81	.	.	.	1	1	1,267	18	16	1	0.11	0.02	1.8	0.0	0.1	
		39	381	.	3	12	7	6	31	4,704	1,154	97	27	0.14	0.01	1.67	0.41	0.45
		44	387	1	4	.	4	4	12	4,897	318	65	27	0.14	0.01	1.73	0.11	0.44
		33	388	1	2	1	5	5	14	4,838	157	55	22	0.14	0.02	1.73	0.05	0.35
		32	368	.	7	3	14	8	8	4,962	316	65	30	0.13	0.01	1.74	0.11	0.47
{ YEAR 1966		300	300	1	4	3	1	1	4,953	132	103	17	0.11	0.01	1.73	0.05	0.27	
		32	300	1	4	3	1	1	8	4,953	132	103	17	0.11	0.01	1.73	0.05	0.27
		32	300	1	4	3	1	1	8	4,953	132	103	17	0.11	0.01	1.73	0.05	0.27
		32	300	1	4	3	1	1	8	4,953	132	103	17	0.11	0.01	1.73	0.05	0.27
		32	300	1	4	3	1	1	8	4,953	132	103	17	0.11	0.01	1.73	0.05	0.27
{ YEAR 1966		32	300	1	4	3	1	1	8	4,953	132	103	17	0.11	0.01	1.73	0.05	0.27
		32	300	1	4	3	1	1	8	4,953	132	103	17	0.11	0.01	1.73	0.05	0.27
		32	300	1	4	3	1	1	8	4,953	132	103	17	0.11	0.01	1.73	0.05	0.27
		32	300	1	4	3	1	1	8	4,953	132	103	17	0.11	0.01	1.73	0.05	0.27
		32	300	1	4	3	1	1	8	4,953	132	103	17	0.11	0.01	1.73	0.05	0.27

Table III.—Deaths registered during the Quarter ended 31st March, 1966, classified by Cause and Age Group

INTERNATIONAL NUMBERS		CAUSE OF DEATH		All ages			Age									
				Persons	Males	Females	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Detailed List	Abbreviated B List	Total deaths	...	10,455	5,672	4,783	408	80	53	80	86	184	623	1,276	2,621	5,044
001-008	1	Tuberculosis of respiratory system	...	98	75	23	.	.	.	1	3	11	15	28	25	15
010-019	2	Tuberculosis, other forms	...	14	9	5	1	1	.	2	1	2	3	1	1	2
020-029	3	Syphilis and its sequelae
040	4	Typhoid fever
045-048	6	Dysentery, all forms
050	7a	Scarlet fever
051	7b	Streptococcal sore throat	...	1	.	1	1
055	8	Diphtheria
056	9	Whooping cough
057	10	Meningococcal infections	...	2	.	2	1	.	.	1	.	.
080	12	Acute poliomyelitis
085	14	Measles	...	4	3	1	1	3
Rem. of 001-138	17	Other infective and parasitic diseases*	...	14	7	7	1	1	2	1	2	.	2	4	.	1
151	18a	Malignant neoplasms :—	...	195	104	91	.	.	.	1	.	2	15	27	81	69
Rem. of 150-159	18b	of stomach	...	372	200	172	.	1	.	.	1	9	34	73	126	128
160-165	18c	of other digestive organs and peritoneum	...	227	172	55	1	4	29	66	88	39
170	18d	of respiratory system	...	96	.	96	10	20	13	29	24
171-181	18e	of breast	...	181	104	77	.	2	1	1	1	5	15	36	54	66
200-205	18f	of genito-urinary system	...	72	45	27	.	6	4	5	3	5	10	17	15	7
Rem. of 140-205	18g	of lymphatic and haematopoietic tissues	...	152	79	73	.	1	3	2	3	7	14	24	38	60
210-239	19	other	...	28	17	11	2	2	.	.	1	.	2	7	11	3
260	20	Benign and unspecified neoplasms	...	91	37	54	.	.	1	.	3	2	4	12	31	38
290-293	21	Diabetes mellitus	...	33	15	18	.	.	1	1	2	.	.	5	13	11
330-334	22	Anaemias	...	1,264	596	668	.	2	1	8	1	13	55	126	363	695
340	23	Vascular lesions of central nervous system	...	11	7	4	6	.	1	2	.	1	1	.	.	.
400-402	24	Non-meningococcal meningitis	...	2	1	1	.	.	1	.	.	1	1	.	.	.
410-416	25	Rheumatic fever	...	90	36	54	.	.	1	.	.	1
		Chronic rheumatic heart disease	...								4	6		14	13	31

	26c	422	Other myocardial degeneration	969	483	486	.	.	2	.	1	10	33	158	765
	27	430-434	Other diseases of heart	404	241	223	.	1	1	.	3	20	46	128	265
	28	440-443	Hypertension with heart disease	175	75	100	15	50	110
	29	444-447	Hypertension without mention of heart	100	43	57	.	.	.	2	2	17	9	22	48
	46a	450-468	Other diseases of circulatory system	341	162	179	3	7	24	67	240
	30	480-483	Influenza	463	224	239	8	1	2	.	3	29	32	106	282
	31	490-493	Pneumonia	606	304	302	45	24	5	8	1	4	22	60	312
	32	500-502	Bronchitis	601	407	194	1	2	.	.	4	36	133	170	255
	46b	526	Bronchiectasis	27	12	15	.	.	.	1	2	4	11	6	
	46c	Rem. of 470-527	Other diseases of respiratory system	134	79	55	2	1	1	.	4	6	21	31	67
	33	540-541	Ulcer of stomach and duodenum	85	57	28	.	1	.	1	2	9	9	30	33
	34	550-553	Appendicitis	8	6	2	.	1	.	.	.	1	1	2	2
	35	560, 561, 570	Intestinal obstruction and hernia	47	18	29	2	1	.	.	3	3	4	12	22
	36	543, 571, 572	Gastritis and enteritis (except of newborn)†	51	30	21	15	.	2	.	2	6	3	11	10
	37	581	Cirrhosis of liver	16	10	6	1	5	2	5	3
	46d	Rem. of 530-587	Other diseases of digestive system	53	24	29	3	2	.	5	3	6	10	11	13
	38	590-594	Nephritis and nephrosis	103	63	40	.	.	4	1	6	8	16	29	39
	39	610	Hyperplasia of prostate	47	47	1	8	38
	40	640-689	Complications of pregnancy and childbirth	3	.	3	.	.	2	1
	41	750-759	Congenital malformations	128	81	47	93	7	6	4	3	1	4	7	3
	42	760-762	Birth injuries, asphyxia and atelectasis	85	52	33	85
	43	763-763	Infections of the newborn†	39	22	17	39
	44	769-776	Other diseases of early infancy	81	50	31	81
	45a	794	Senility without psychosis	420	209	211	6	414
	45b	Rem. of 780-795	Ill-defined and unknown causes	115	67	48	2	.	.	.	1	6	7	23	76
	46e	Residual	All other diseases	325	153	172	6	6	9	9	11	10	37	58	91
	47	E810-835	EXTERNAL CAUSES : Motor vehicle accidents	91	70	21	.	2	8	16	8	11	13	13	12
	48	E800-802, 840-962	All other accidents	191	104	87	15	13	2	8	13	17	18	27	65
	49	E963, 970-979	Suicide and self-inflicted injury	18	13	5	2	1	2	5	8
	50	E964, 965, 980-999	Homicide and operations of war	2	2	1

†See Table IV.

*See text.

Table IV.—Deaths classified by Cause and by County of Residence of Deceased for the Quarter ended 31st March, 1966

Provinces, Counties and County Boroughs	Population according to the Census of Population 1961	Total deaths	Deaths of		Cause of death																					
			Infants under 1 year	Persons 65 years and over	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Measles	Acute infectious encephalitis	Malignant neoplasms			Vascular lesions of central nervous system	Heart diseases	Other diseases of circulatory system (a)	Influenza	Other diseases of respiratory system (under 2 years) (b)	Complications of preg- nancy and childbirth	Senility	All other diseases	External causes (accidents, etc.)		
					Respiratory	Other forms							Digestive system	Respiratory system	Other											
TOTAL	2,818,341	10,455	408	7,665	98	14	4	2	567	227	501	1,264	3,243	618	463	1368	23	3	420	1,338	302
Carlow	33,342	122	6	86	10	.	6	12	38	7	8	14	.	.	4	17	6
Dublin Co. Borough ...	537,448	1,840	91	1,205	23	1	2	1	101	61	93	196	493	108	70	359	3	.	10	262	57
Dun Laoghaire Borough	47,792	222	10	168	1	1	1	.	11	9	10	28	74	15	4	36	.	.	1	24	7
Dublin Co. (remainder)	133,092	372	25	252	4	1	.	23	8	19	42	114	21	15	53	1	.	6	47	18
Kildare	64,420	210	13	144	2	9	2	6	27	68	9	9	33	3	.	7	29	6
Kilkenny	61,668	254	10	190	1	15	3	13	25	84	19	10	26	.	.	24	29	5
Laois	45,069	165	3	125	4	14	3	6	13	58	15	13	20	1	.	7	9	2
Longford....	30,643	161	5	132	3	14	5	5	18	41	26	14	9	.	.	3	14	9
Louth	67,378	273	11	202	5	1	13	3	16	34	88	6	12	37	.	.	16	37	5
Meath	65,122	287	9	222	14	4	23	39	88	10	27	34	.	.	8	28	12
Offaly	51,533	173	6	128	1	9	3	11	21	43	15	5	29	.	.	7	28	1
Westmeath	52,861	188	6	141	1	11	3	9	13	86	9	7	16	.	.	3	24	6
Wexford	83,308	309	5	222	7	1	13	7	11	32	107	35	13	35	.	.	5	36	7
Wicklow	58,473	208	6	159	8	11	15	36	66	11	7	23	1	.	3	25	2
LEINSTER	1,332,149	4,784	206	3,376	52	4	4	1	265	122	243	536	1,448	306	214	724	9	.	104	609	143

Table V.—Births classified by County of Occurrence and by County of Residence of Mother. Marriages classified by County in which registered and Birth and Marriage Rates, for the Quarter ended 31st March, 1966.

Provinces, Counties and County Boroughs	Births registered	Births assigned to county of residence of mother				Marriages	
		Males	Females	Total	Rate per 1,000 population (a)	Registered	Rate per 1,000 population*(a)
TOTAL	15,004	7,771	7,233	15,004	21.0	3,410	4.8
Carlow	159	96	96	192	22.6	12	1.4
Dublin County Borough	5,077	1,707	1,576	3,283	23.9	1,157	8.4
Dun Laoghaire Borough	326	121	90	211	17.2	58	4.7
Dublin County (remainder)	186	661	650	1,311	35.6	127	3.5
Kildare	152	196	190	386	23.7	74	4.5
Kilkenny	253	164	142	306	19.8	45	2.9
Laois	157	98	107	205	18.2	28	2.5
Longford	111	74	87	161	21.4	22	2.9
Louth	727	217	237	454	26.7	73	4.3
Meath	56	186	166	352	21.4	55	3.3
Offaly	230	134	134	268	20.4	51	3.9
Westmeath	316	187	155	342	25.6	58	4.3
Wexford	348	213	193	406	19.5	73	3.5
Wicklow	98	170	130	300	20.4	62	4.2
LEINSTER	8,196	4,224	3,953	8,177	24.0	1,895	5.6
Clare	284	180	183	363	19.7	70	3.8
Cork County Borough	1,427	400	334	734	27.0	225	8.3
Cork County	371	514	483	997	17.6	212	3.7
Kerry	427	252	238	490	16.9	127	4.4
Limerick County Borough	860	189	168	357	27.4	143	11.0
Limerick County	20	212	192	404	10.7	54	2.6
Tipperary N.R.	258	143	137	280	20.8	55	4.1
Tipperary S.R.	386	197	177	374	21.4	86	4.9
Waterford County Borough	367	86	92	178	24.9	69	9.7
Waterford County	45	95	84	179	16.6	28	2.6
MUNSTER	4,445	2,268	2,088	4,356	20.4	1,069	5.0
Galway	838	371	309	680	18.1	131	3.5
Leitrim	57	46	36	82	10.1	22	2.7
Mayo	307	205	191	396	13.1	76	2.5
Roscommon	137	110	97	207	14.2	27	1.9
Sligo	226	92	118	210	15.8	45	3.4
CONNACHT	1,565	824	751	1,575	15.2	301	2.9
Cavan	187	119	105	224	32.5	28	2.0
Donegal	461	230	239	469	16.7	93	3.3
Monaghan	150	106	97	203	17.8	24	2.1
ULSTER (part of)	798	455	441	896	16.8	145	2.7

(a) Equivalent Annual Rate.

*Since these rates in the case of particular areas, are based on small numbers they are subject to fairly considerable random fluctuations and caution should be exercised in interpreting them.

Table VI.—Deaths classified by County of Occurrence and County of Residence of Deceased. Death, Infant Mortality and Neo-natal Mortality Rates for the Quarter ended 31st March, 1966.

Provinces, Counties and County Boroughs	Deaths registered	Deaths assigned to county of residence of deceased				Deaths of infants under 1 year per 1,000 births* (b)	Neo-natal mortality* (c)
		Males	Females	Total	Rate per 1,000 population (a)		
TOTAL	10,455	5,672	4,783	10,455	14.6	27.2	18.4
Carlow	121	61	61	122	14.4	31.3	20.8
Dublin County Borough	2,231	941	899	1,840	13.4	27.7	19.2
Dun Laoghaire Borough	202	99	123	222	18.0	47.4	42.7
Dublin County (remainder)	280	200	172	372	10.1	19.1	11.4
Kildare	160	126	84	210	12.9	33.7	18.1
Kilkenny	242	135	119	254	16.4	32.7	26.1
Laois	150	101	64	165	14.6	14.6	9.8
Longford	143	102	59	161	21.4	31.1	24.8
Louth	281	140	133	273	16.0	24.2	22.0
Meath	245	163	124	287	17.4	25.6	14.2
Offaly	154	93	80	173	13.1	22.4	7.5
Westmeath	193	109	79	188	14.0	17.5	11.7
Wexford	290	161	148	309	14.9	12.3	24.6
Wicklow	161	117	91	208	14.2	20.0	16.7
LEINSTER	4,853	2,548	2,236	4,784	14.0	25.2	17.0
Clare	254	152	116	268	14.6	27.5	16.5
Cork County Borough	616	221	219	440	16.2	24.5	13.6
Cork County	655	433	372	805	14.2	28.1	16.0
Kerry	436	255	202	457	15.7	32.7	18.4
Limerick County Borough	216	85	99	184	14.1	25.2	19.6
Limerick County	291	171	148	319	15.5	27.2	19.8
Tipperary N.R.	221	137	98	235	17.4	32.1	14.3
Tipperary S.R.	249	148	99	247	14.1	32.1	29.4
Waterford County Borough	201	78	61	139	19.5	44.9	39.3
Waterford County	110	100	79	179	16.6	27.9	16.8
MUNSTER	3,249	1,780	1,493	3,273	15.3	28.9	18.6
Galway	470	253	189	442	11.7	35.3	23.5
Leitrim	116	77	52	129	15.9	12.2	12.2
Mayo	388	218	192	410	13.5	17.7	12.6
Roscommon	212	133	91	224	15.4	43.5	38.6
Sligo	239	137	100	237	17.8	23.8	19.0
CONNACHT	1,425	818	624	1,442	13.9	29.2	21.6
Cavan	246	146	120	266	19.3	40.2	31.3
Donegal	533	294	246	540	19.3	32.0	25.6
Monaghan	149	86	64	150	13.2	29.6	14.8
ULSTER (part of)	928	526	430	956	18.0	33.5	24.6

(a) Equivalent annual rate based on population figures.

(b) Assigned to county of residence of mother.

(c) Deaths under 28 days per 1,000 births assigned to county of residence of mother.

* See footnote on opposite page.

Table VII.—Births and Deaths assigned to the Principal Towns (other than the County Boroughs and Dun Laoghaire Borough) during the Quarter ended 31st March, 1966

TOWN	Population 1961 Census	Births	Deaths	Annual rate per 1,000 population		Deaths of		Cause of death																						
				Births	Deaths	Infants under 1 year	Persons 65 years and over	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Measles	Acute infectious encephalitis	Malignant neoplasms			Vascular lesions of central nervous system	Heart diseases	Other diseases of circulatory system (a)	Influenza	Other diseases of respiratory system	Gastro-enteritis (under 2 years)	Complications of preg- nancy and childbirth	Senility	All other diseases	External causes (accidents, etc.)		
								Respiratory	Other forms							Digestive system	Respiratory system	Other												
TOTAL ...	126,586	752	421	23.8	13.4	23	208	5	1	23	13	23	54	139	22	10	55	1	.	10	60	5	
Galway ...	22,028	124	58	22.5	10.5	2	41	5	3	5	4	18	3	.	9	.	.	1	8	2	
Dundalk ...	19,790	118	81	23.9	16.4	5	62	1	2	1	3	15	30	2	4	12	.	.	.	11	.	
Drogheda ...	17,085	118	48	27.6	11.2	1	34	1	1	2	2	5	4	18	.	.	2	.	.	4	9	.	
Sligo ...	13,145	57	43	17.3	13.1	2	31	1	2	1	2	4	9	3	3	6	.	.	2	9	1	
Bray ...	11,688	65	41	22.2	14.0	2	29	3	2	3	5	12	4	.	7	.	.	.	4	1	
Wexford ...	11,328	74	49	26.1	17.3	1	33	2	.	.	7	21	6	.	7	.	.	.	6	.	
Tralee ...	10,723	44	36	16.4	13.4	5	25	3	3	2	7	9	.	1	3	.	.	.	8	.	
Clonmel ...	10,640	80	26	30.1	9.8	2	21	1	1	.	1	5	8	3	.	3	1	.	1	1	1	.
Kilkenny ...	10,159	72	39	28.3	15.4	3	22	1	3	1	2	3	14	1	2	6	.	.	2	4	.	

(a) Including Rheumatic fever.

Table VIII.—continued

COUNTY OR COUNTY BOROUGH	Acute anterior polyomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infective hepatitis	Infective mononucleosis	Influenzal pneumonia	Malaria
MAYO												
Urban
Rural	.	.	.	6	8	1	11	.
MEATH												
Urban	.	.	.	8	4	.	.	.
Rural	.	.	.	5	.	3	.	.	7	.	.	.
MONAGHAN												
Urban
Rural
OFFALY												
Urban	.	.	.	1
Rural	.	1	.	2	.	1	.	.	1	.	.	.
ROSCOMMON												
Urban
Rural	.	.	.	1	2	.	3	.
SLIGO												
Urban	.	.	.	3
Rural
TIPPERARY N.R.												
Urban
Rural	1	.	3	.
TIPPERARY S.R.												
Urban
Rural	1
WATERFORD												
Urban
Rural	1	.	.	.
WESTMEATH												
Urban
Rural	1	5	.	.	.
WEXFORD												
Urban	.	.	1	15	.	1	.	.	1	.	3	.
Rural	.	.	.	4	2	.	12	.
WICKLOW												
Urban	.	.	.	7	17	.	.	.
Rural	5	.	.	.
ALL COUNTY BOROUGHES	.	.	1	203	.	42	1	4	66	10	57	.
ALL URBAN DISTRICTS	.	.	4	80	.	6	.	1	37	6	20	.
ALL RURAL DISTRICTS	.	2	1	119	.	26	.	6	75	6	74	.
TOTAL	.	2	6	402	.	74	1	11	178	22	151	.

Table VIII.—continued

COUNTY OR COUNTY BOROUGH	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Well's disease	Whooping cough	Other notifiable infectious diseases
COUNTY BOROUGHS													
CORK	4	.	.	.	2	.	1	1	.	.	.	1	1d
DUBLIN	779	.	.	.	88	73	41	2	.	.	.	23	2c, 2d
LIMERICK	1	3	3	1c
WATERFORD
COUNTIES													
CARLOW													
Urban
Rural	45
CAVAN													
Urban
Rural
CLARE													
Urban
Rural	2
CORK													
Urban	1c
Rural	12	.	1	.	.	.	1	2c
DONEGAL													
Urban
Rural	1	3	3	.
DUBLIN													
Urban	160	.	.	.	9	.	5	7	.
Rural	414	.	.	.	13	.	18	5	1c
GALWAY													
Urban	6	1	1	.
Rural	229	3
KERRY													
Urban	14
Rural	1	1	.
KILDARE													
Urban	22
Rural	74
KILKENNY													
Urban
Rural	2	3	1	.
LAOIS													
Rural
LEITRIM													
Rural	1
LIMERICK													
Rural	3
LONGFORD													
Urban
Rural
LOUTH													
Urban
Rural

(c) Salmonella Infection, (d) Acute Lymphocytic Meningitis,

Table VIII.—continued

COUNTY OR COUNTY- BOROUGH	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Well's disease	Whooping cough	Other notifiable infectious diseases
MAYO													
Urban
Rural	29	2
MEATH													
Urban	6
Rural	5
MONAGHAN													
Urban
Rural
OFFALY													
Urban
Rural	4	2	.
ROSCOMMON													
Rural	51
SLIGO													
Urban	1
Rural
TIPPERARY N.R.													
Urban
Rural	3
TIPPERARY S.R.													
Urban	11	.
Rural
WATERFORD													
Urban	1
Rural	1
WESTMEATH													
Urban
Rural	1	4	6	.
WEXFORD													
Urban	1
Rural	17	.	.	.	3	.	3	1
WICKLOW													
Urban	39	.	.	.	2	.	3
Rural	11	1
ALL COUNTY BOROUGHS	784	.	.	.	90	73	45	3	.	.	.	27	3c, 3d
ALL URBAN DISTRICTS	229	.	.	.	25	1	15	19	1c
ALL RURAL DISTRICTS	903	.	1	.	17	.	38	3	.	.	.	18	3c
TOTAL	1916	.	1.	.	132	74	98	6	.	.	.	64	7c, 3d

(c) *Salmonella* Infection.

(d) Acute Lymphocytic Meningitis.



THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

1966]

2nd Quarter

[No. 410

AN ROINN SLÁINTE

TUARASCÁIL CINN RÁITHE

ar

BHREITHEANNA, BHÁSA AGUS PHÓSTAÍ

agus ar

GHALAIR ÁIRITHE AICÍDEACHA

QUARTERLY REPORT

ON

BIRTHS, DEATHS AND MARRIAGES

AND ON

CERTAIN INFECTIOUS DISEASES

JUNE QUARTER, 1966

Compiled by the Central Statistics Office

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1.
or through any Bookseller

Price Sixpence Net

CONTENTS

JUNE QUARTER, 1966

Text	PAGE
.....	19
Table I. Marriages, Births, Deaths and Infant Mortality	20
„ II. Deaths from Principal Causes	21
„ III. Deaths registered, classified by Cause and Age Group	22
„ IV. Deaths classified by Cause and by County of Residence of Deceased	24
„ V. Births classified by County of Occurrence and by Residence of Mother. Marriages classified by County in which registered. Birth and Marriage Rates	26
„ VI. Deaths classified by County of Occurrence and County of Residence of Deceased. Death, Infant Mortality and Neo-natal Mortality Rates for each County	27
„ VII. Births and Deaths assigned to the Principal Towns (other than the County Boroughs and Dun Laoghaire Borough)	28
„ VIII. Summary of cases of Infectious Diseases notified to the Department of Health	29

NOTE—The figures in this report for 1965 and 1966 are provisional, while those relating to 1964 and earlier years are definitive. The numbers of births and deaths are exclusive of late registrations, i.e., births and deaths registered on the authority of An tArd-Chlaraitheoir. Births, deaths and marriages are registered in the county or county borough in which they occur. In the case of births and deaths assigned figures, i.e., those relating to residents of each area, are also shown.

JUNE QUARTER, 1966

MARRIAGES

The number of marriages returned during the quarter was 3,349 equivalent to an annual rate of 4.7 per 1,000 population; 0.2 less than for the corresponding quarter of 1965.

Of the total marriages 3,204 were celebrated in accordance with the rites and ceremonies of the Catholic Church, being equivalent to a rate of 4.7 per 1,000 of Catholics in the population. The remainder, 145 is equivalent to a rate of 3.9 per 1,000 of the population other than Catholic.

The number of marriages registered in each county and county borough in the quarter is shown in Table V.

BIRTHS

The number of births registered during the quarter was 16,507, of which 8,540 were those of males and 7,967 were those of females. This number represents a rate of 22.9 per 1,000 of the population per annum, 0.1 below that for the second quarter of 1965.

The total includes 387 illegitimate births, equivalent to 2.3 per cent of all births registered.

The number of births registered in each county and county borough, and also births assigned according to the area of normal residence of the mother, are shown in Table V.

DEATHS

The number of deaths registered during the quarter was 9,114 of which 4,910 were those of males and 4,204 were those of females. The equivalent annual rate was 12.7 per 1,000 population, being 1.3 above that for the second quarter of 1965.

Deaths classified according to cause, sex and age group are shown in Table III, and according to cause and area of residence in Table IV. The number of deaths registered in each area is shown in Table VI.

Tuberculosis.—Deaths from this disease numbered 83, including 76 from tuberculosis of the respiratory system and 7 from other forms of tuberculosis. Corresponding figures for the second quarter of 1965 were 81, 75 and 6 respectively. For rates see Table II.

Other Infectious Diseases.—There were 2 deaths from measles, 5 from infectious hepatitis, 2 from septicaemia and one from leptispirosis.

Malignant Neoplasms.—Deaths under this heading numbered 1,222, equivalent to a rate of 1.7 per 1,000 population. Of these, 558 or 46 per cent, were due to malignant neoplasms of the digestive system.

Diseases of Circulatory System.—Deaths under this heading numbered 3,513, equivalent to a rate of 4.9 per 1,000 population. Of these, coronary and arteriosclerotic heart disease accounted for 1,503 or 43 per cent, while 872 or 25 per cent were due to other myocardial degeneration.

Diseases of Respiratory System.—Deaths from influenza numbered 415, pneumonia accounted for 394 deaths, while the remaining respiratory diseases caused 540 deaths, corresponding figures for the second quarter of 1965 were 41, 355 and 474 respectively.

Maternal Mortality.—There were 7 deaths due to complications of pregnancy and child-birth, equivalent to a rate of 0.4 per 1,000 births registered. The rate for the second quarter of 1965 was 0.6.

Infant Mortality.—There were 414 deaths of infants under one year of age and 268 of these occurred at ages under 4 weeks. The infant mortality rate was 25 per 1,000 births registered and the neo-natal rate was 16. The rates for the corresponding quarter of 1965 were 27 and 19. The rates for counties are shown in Table VI.

Population.—The population in April, 1966 was 2,880,752; 1,448,214 males and 1,432,538 females according to the preliminary results of the Census of Population 1966. These figures are provisional.

YEAR AND QUARTER		DEATHS FROM										ANNUAL DEATH RATES						
												Per 1,000 population		Per 1,000 births				
		Tuberculosis	Typhoid fever	Scarlet fever	Diphtheria	Whooping Cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Malignant neoplasms	Influenza	Gastro-enteritis (under 2 years)	Complications of pregnancy and childbirth		Respiratory system	Other forms	Malignant neoplasms	Influenza
1st Quarter	1961	152	13	1	1	6	1	8	10	1,198	946	23	4	0.22	0.02	1.7	1.3	0.3
	1962	124	10	.	1	.	.	1	2	1,249	195	14	8	0.18	0.01	1.8	0.3	0.5
	1963	119	11	.	1	.	.	1	2	1,180	68	9	5	0.17	0.01	1.7	0.1	0.3
	1964	120	6	.	1	.	.	1	2	1,234	80	14	6	0.17	0.01	1.7	0.1	0.4
2nd Quarter, 1966	1965	91	4	.	1	.	.	4	1	1,245	55	17	3	0.13	0.01	1.7	0.1	0.2
	1966	98	14	2	4	1,295	463	23	3	0.14	0.02	1.8	0.6	0.2
	1961	73	15	.	2	3	2	1	11	1,166	131	35	7	0.10	0.02	1.7	0.2	0.4
	1962	95	17	.	2	1	1	1	6	1,213	81	16	10	0.13	0.02	1.7	0.1	0.6
3rd Quarter	1963	94	10	1	1	.	1	1	3	1,340	60	13	6	0.13	0.01	1.7	0.1	0.4
	1964	83	10	.	2	3	1	4	4	1,347	196	17	8	0.12	0.01	1.7	0.3	0.5
	1965	75	6	.	2	3	1	4	3	1,192	41	37	10	0.11	0.01	1.7	0.1	0.6
	1966	76	7	2	1,222	415	33	7	0.11	0.01	1.7	0.6	0.4
4th Quarter	1961	74	5	.	.	2	1	.	4	1,137	34	19	10	0.11	0.01	1.6	0.0	0.7
	1962	78	5	.	.	1	1	.	1	1,184	25	15	5	0.11	0.01	1.7	0.0	0.3
	1963	75	13	1	.	1	1	1	1	1,266	18	18	6	0.10	0.02	1.8	0.0	0.4
	1964	70	7	.	.	1	1	2	6	1,266	23	18	9	0.10	0.01	1.8	0.0	0.5
5th Quarter, 1966	1965	53	10	.	.	1	1	.	3	1,249	18	33	3	0.07	0.01	1.7	0.0	0.2
	1966	82	6	.	.	1	3	1	6	1,203	43	20	6	0.12	0.01	1.7	0.1	0.4
	1961	90	7	1	.	1	1	1	1	1,251	17	17	4	0.13	0.01	1.8	0.0	0.3
	1963	100	10	.	3	1	1	2	1	1,252	11	18	5	0.14	0.01	1.8	0.0	0.3
6th Quarter	1964	93	10	.	3	1	1	4	2	1,217	17	16	7	0.13	0.01	1.7	0.0	0.5
	1965	81	12	1	3	1	4	1	1	1,267	18	16	1	0.11	0.02	1.8	0.0	0.1
	1966	89	39	.	3	12	7	6	31	4,704	1,154	97	27	0.14	0.01	1.67	0.41	0.45
	1961	387	39	1	1	4	4	5	12	4,897	318	65	27	0.14	0.01	1.73	0.11	0.44
7th Quarter	1962	388	44															

YEAR 1966

Deaths, June Quarter, 1966

Table III.—Deaths registered during the Quarter ended 30th June, 1966, classified by Cause and Age Group.

INTERNATIONAL NUMBERS		CAUSE OF DEATH	All ages											75 and over	
Detailed List	Abbreviated B List		Persons	Males	Females	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64		65-74
		Total deaths	9,114	4,910	4,204	414	47	49	72	62	200	499	1,109	2,235	4,427
001-008	1	Tuberculosis of respiratory system	76	51	25	1	-	-	-	3	5	11	19	23	14
010-019	2	Tuberculosis, other forms	7	3	4	-	-	-	-	1	2	1	1	1	1
020-029	3	Syphilis and its sequelae	2	2	-	-	-	-	-	-	-	-	-	2	-
030	4	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-
045-049	5	Dysentery, all forms	1	1	-	-	-	-	-	-	1	-	-	-	-
050	7a	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-
051	7b	Streptococcal sore throat	-	-	-	-	-	-	-	-	-	-	-	-	-
055	8	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-
056	9	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-
057	10	Meningococcal infections	2	2	-	1	-	-	-	-	-	-	-	1	-
080	12	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-
095	14	Measles	2	-	2	-	1	1	-	-	-	-	-	-	-
Rem. of 001-138	17	Other infective and parasitic diseases	11	7	4	1	2	1	2	-	-	2	2	-	1
151	18a	Malignant neoplasms of stomach	233	128	105	-	-	-	-	1	4	19	36	83	90
Rem. of 150-159	18b	of other digestive organs and peritoneum	325	159	166	-	-	1	2	-	11	36	54	104	117
160-165	18c	of respiratory system	188	155	33	-	-	-	-	-	9	31	61	60	27
170	18d	of breast	80	-	80	-	-	-	-	-	8	22	22	18	10
171-181	18e	of genito-urinary system	193	112	81	-	1	1	-	-	2	21	39	72	57
200-205	18f	of lymphatic and haematopoietic tissues	67	41	26	1	2	4	3	3	6	9	18	14	7
Rem. of 140-205	18g	other	136	74	62	1	2	2	7	2	4	14	27	33	44
210-239	19	Benign and unspecified neoplasms	15	9	7	1	1	1	-	1	-	4	3	2	3
260	20	Diabetes mellitus	73	29	44	-	-	-	1	-	-	3	11	36	22
290-295	21	Anaemias	36	13	23	1	-	-	-	-	-	3	5	3	24
330-334	22	Vascular lesions of central nervous system	1,112	486	626	3	-	1	4	3	13	37	123	282	646
340	23	Non-meningococcal meningitis	7	5	2	3	1	-	-	2	1	-	1	2	-
400-402	24	Rheumatic fever	4	3	1	-	-	-	-	-	2	1	1	-	-
410-416	25	Chronic rheumatic heart disease	76	39	37	-	-	-	1	2	5	14	11	21	22

Deaths, June Quarter, 1966

23

	420	26b	Coronary and arteriosclerotic heart disease	1,503	930	573	-	-	-	3	29	101	281	482	607
422	26c	26c	Other myocardial degeneration	872	448	424	-	-	-	-	4	1	25	166	676
430-434	27	27	Other diseases of heart	425	182	243	-	-	2	1	3	11	33	116	258
440-443	28	28	Hypertension with heart disease	178	88	90	-	-	-	-	2	6	17	49	104
444-447	29	29	Hypertension without mention of heart	83	43	40	-	-	-	2	1	5	13	17	45
450-489	46a	46a	Other diseases of circulatory system	301	155	146	-	-	1	2	5	13	18	54	208
480-483	30	30	Influenza	415	217	198	7	1	-	2	5	12	30	94	262
490-493	31	31	Pneumonia	394	200	194	38	10	1	3	8	18	28	88	198
500-502	32	32	Bronchitis	425	286	139	2	1	1	1	6	22	72	131	188
526	46b	46b	Bronchiectasis	21	12	9	-	-	1	-	1	2	2	7	8
Rem. of 470-527	46c	46c	Other diseases of respiratory system	94	50	44	1	-	1	-	2	3	12	25	50
540-541	33	33	Ulcer of stomach and duodenum	61	47	14	1	1	-	-	2	5	13	14	25
550-553	34	34	Appendicitis	2	2	-	-	-	-	-	-	-	-	1	1
560, 561, 570	35	35	Intestinal obstruction and hernia	31	16	15	3	-	-	-	-	-	8	7	13
543, 571, 572	36	36	Gastritis and enteritis (except of newborn)†	50	23	27	26	2	-	2	-	-	5	2	13
581	37	37	Cirrhosis of liver	9	6	3	-	-	-	-	-	1	5	2	1
Rem. of 530-537	48a	48a	Other diseases of digestive system	43	22	21	-	1	-	-	1	2	6	19	14
590-594	38	38	Nephritis and nephrosis	84	47	37	-	-	1	7	1	6	15	17	32
610	39	39	Hyperplasia of prostate	43	43	-	-	-	-	-	-	-	2	6	35
640-639	40	40	Complications of pregnancy and childbirth	7	-	7	-	-	-	-	5	-	-	-	-
750-759	41	41	Congenital malformations	120	55	65	101	5	5	3	2	3	1	-	-
760-782	42	42	Birth injuries, asphyxia and atelectasis	76	48	28	76	-	-	-	-	-	-	-	-
763-768	43	43	Infections of the newborn†	24	14	10	24	-	-	-	-	-	-	-	-
769-776	44	44	Other diseases of early infancy	101	58	43	101	-	-	-	-	-	-	-	-
794	45a	45a	Senility without psychosis	375	185	190	-	-	-	-	-	-	-	-	-
Rem. of 780-795	45b	45b	Ill-defined and unknown causes	68	40	28	3	-	-	-	1	2	4	16	42
Residual	49c	49c	All other diseases	301	150	151	9	6	5	7	21	23	42	90	92
E810-835	47	47	EXTERNAL CAUSES: Motor vehicle accidents	82	66	16	-	3	9	15	8	8	10	7	10
E800-802, 840-902	48	48	All other accidents	180	95	85	8	7	11	6	8	14	14	23	77
E903, 970-979	49	49	Suicide and self-inflicted injury	23	15	8	-	-	-	1	2	2	5	6	1
E964, 985, 980-999	50	50	Homicide and operations of war	5	3	2	1	-	-	1	-	2	-	-	-

* See text. † See Table IV.

Deaths by Counties, June Quarter, 1966

Table IV.-Deaths classified by Cause and by County of Residence of Deceased for the Quarter ended 30th June, 1966.

Provinces, Counties and County Boroughs	Population according to the Preliminary Report on 1966 Census	Total deaths	Deaths of		Cause of death																					
			Infants under 1 year	Persons 66 years and over	Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Measles	Acute infectious encephalitis	Malignant neoplasms			Vascular lesions of central nervous system	Heart diseases	Other diseases of circulatory system (a)	Influenza	Other diseases of respiratory system	Gastro-enteritis (under 2 years) (b)	Complications of preg- nancy and childbirth	Senility	All other diseases	External causes (accidents, etc.)		
												Respiratory	Other forms	Diastolic system											Ischaemic system	Other
TOTAL	2,880,752	9,114	414	6,662	76	7	-	-	-	-	2	-	558	188	476	1,112	3,125	388	415	934	33	7	375	1,128	290	
Carlow	33,479	111	8	78	1	-	-	-	-	-	1	-	5	3	6	16	42	2	9	4	-	-	2	17	3	
Dublin Co. Borough	568,271	1,362	94	872	18	-	-	-	-	-	-	-	85	61	89	166	424	34	19	207	3	2	3	205	46	
Dun Laoghaire Borough	51,771	147	7	101	-	-	-	-	-	-	-	-	11	6	11	18	54	8	3	12	1	-	1	18	4	
Dublin Co. (remainder)	173,748	278	24	181	2	-	-	-	-	-	-	-	17	10	20	32	89	13	6	32	1	1	1	44	10	
Kildare	66,486	179	17	101	-	-	-	-	-	-	-	-	15	5	9	17	58	4	6	19	3	-	2	34	7	
Kilkenny	60,472	202	10	155	2	-	-	-	-	-	-	-	8	5	6	23	66	16	9	12	3	-	27	21	4	
Laois	44,662	132	4	103	-	-	-	-	-	-	-	-	7	2	8	18	46	12	6	10	-	-	4	14	5	
Longford	28,943	121	6	87	-	-	-	-	-	-	-	-	12	1	2	11	57	4	7	3	-	-	6	13	5	
Louth	69,162	203	12	140	3	1	-	-	-	-	-	-	15	2	17	30	70	6	6	20	-	-	5	25	3	
Meath	67,279	213	9	155	3	-	-	-	-	-	-	-	12	-	11	27	81	5	13	17	-	1	4	31	8	
Offaly	51,707	122	7	87	1	-	-	-	-	-	-	-	7	2	7	17	32	9	10	13	-	-	4	15	5	
Westmeath	52,849	174	8	131	1	1	-	-	-	-	1	-	7	4	4	26	74	3	3	12	2	-	8	20	8	
Wexford	83,355	278	10	196	5	2	-	-	-	-	-	-	15	3	13	42	92	27	21	20	1	-	1	27	9	
Wicklow	60,281	176	7	139	1	-	-	-	-	-	-	-	13	3	6	31	70	7	7	16	2	-	1	17	2	
LEINSTER	1,412,465	3,698	223	2,526	37	4	-	-	-	-	2	-	229	107	209	474	1,255	150	125	397	16	4	69	501	119	

Deaths by Counties, June Quarter, 1966

25

Ulster	73,539	271	8	205	1	2	-	-	-	-	-	-	-	-	-	-	16	6	9	14	101	10	21	32	-	-	14	31	14
Cork County Borough	122,066	369	21	252	3	-	-	-	-	-	-	-	-	-	-	-	29	10	18	52	116	11	6	47	3	-	8	55	11
Cork County	217,459	809	25	628	4	-	-	-	-	-	-	-	-	-	-	-	44	9	40	94	265	53	46	93	1	-	33	104	23
Kerry	112,642	392	6	307	3	1	-	-	-	-	-	-	-	-	-	-	24	2	21	33	137	26	21	27	-	-	31	50	16
Limerick Co. Borough	55,885	126	4	87	-	-	-	-	-	-	-	-	-	-	-	-	13	6	6	17	43	2	10	13	1	-	-	12	3
Limerick County	81,387	305	12	224	4	-	-	-	-	-	-	-	-	-	-	-	18	5	13	29	110	13	12	35	-	1	12	42	11
Tipperary N.R.	53,832	203	9	166	2	-	-	-	-	-	-	-	-	-	-	-	10	4	9	17	70	3	19	18	1	-	32	14	4
Tipperary S.R.	68,946	294	16	218	1	-	-	-	-	-	-	-	-	-	-	-	24	6	16	30	111	14	9	32	2	-	10	30	9
Waterford Co. Borough	29,642	120	9	82	3	-	-	-	-	-	-	-	-	-	-	-	15	2	5	12	24	3	11	19	-	-	1	20	5
Waterford County	43,344	185	4	150	1	-	-	-	-	-	-	-	-	-	-	-	6	2	8	19	46	9	31	19	1	-	13	21	9
MUNSTER	858,742	3,074	114	2,319	22	3	-	-	-	-	-	-	-	-	-	-	199	52	145	317	1,023	144	186	335	9	1	154	379	105
Galway	148,190	511	18	370	6	-	-	-	-	-	-	-	-	-	-	-	32	3	25	67	178	15	25	68	3	1	23	45	20
Leitrim	30,532	129	3	104	1	-	-	-	-	-	-	-	-	-	-	-	7	4	10	11	47	4	2	9	1	-	20	9	4
Mayo	115,588	492	9	401	3	-	-	-	-	-	-	-	-	-	-	-	21	6	24	84	166	19	27	35	2	-	36	54	13
Roscommon	56,130	230	11	188	1	-	-	-	-	-	-	-	-	-	-	-	6	1	15	34	92	11	9	17	1	-	8	32	3
Sligo	51,078	210	6	168	1	-	-	-	-	-	-	-	-	-	-	-	17	3	6	22	69	17	10	17	1	-	20	21	6
CONTRACT	401,518	1,572	47	1,231	12	-	-	-	-	-	-	-	-	-	-	-	83	17	80	218	552	66	73	146	8	1	109	161	46
Cavan	53,815	226	6	172	3	-	-	-	-	-	-	-	-	-	-	-	12	5	10	32	96	11	9	14	-	-	13	21	-
Donegal	108,486	380	17	298	1	-	-	-	-	-	-	-	-	-	-	-	25	5	24	41	133	12	16	33	-	-	30	49	11
Monaghan	45,726	164	7	116	1	-	-	-	-	-	-	-	-	-	-	-	10	2	8	30	66	5	6	9	-	1	-	17	9
ULSTER (part of)	208,027	770	30	586	5	-	-	-	-	-	-	-	-	-	-	-	47	12	42	103	295	28	31	56	-	1	43	87	20

(a) Includes Rheumatic Fever.

(b) Comprises part of B36 and part of B43 in Table III.

Table V.— Births classified by County of Occurrence and by County of Residence of Mother. Marriages classified by County in which registered and Birth and Marriage Rates, for the quarter ended 30th June, 1966.

Provinces, Counties and County Boroughs	Births registered	Births assigned to county of residence of mother				Marriages	
		Males	Females	Total	Rate per 1,000 population (a)	Registered	Rate per 1,000 population (a)
TOTAL	16,507	8,540	7,967	16,507	22.9	3,349	4.7
Carlow	210	123	117	240	28.7	44	5.3
Dublin County Borough	5,396	1,818	1,571	3,389	23.9	870	6.1
Dun Laoghaire Borough	364	131	151	282	21.8	100	7.7
Dublin County (remainder)	182	735	635	1,370	31.5	176	4.1
Kildare	141	207	215	422	25.4	64	3.9
Kilkenny	217	146	139	285	18.9	72	4.8
Laois	194	130	113	243	21.8	43	3.9
Longford	138	73	90	163	22.5	23	3.2
Louth	758	227	201	428	24.8	72	4.2
Meath	76	220	172	392	23.3	85	5.1
Offaly	259	136	162	298	23.1	40	3.1
Westmeath	360	194	189	383	29.0	75	5.7
Wexford	330	226	199	425	20.4	85	4.1
Wicklow	107	158	174	332	22.0	75	5.0
LEINSTER	8,732	4,524	4,128	8,652	24.5	1,824	5.2
Clare	290	196	190	380	20.7	77	4.2
Cork County Borough	1,632	406	386	792	26.0	148	4.8
Cork County	457	576	624	1,200	22.1	271	5.0
Kerry	455	268	242	510	18.1	104	3.7
Limerick County Borough	952	238	183	421	30.1	57	4.1
Limerick County	26	236	211	447	22.0	79	3.9
Tipperary N.R.	248	140	141	281	20.9	63	4.7
Tipperary S.R.	404	202	190	392	22.7	48	2.8
Waterford County Borough	422	83	103	186	25.1	58	7.8
Waterford County	66	119	111	230	21.2	33	3.0
MUNSTER	4,952	2,458	2,381	4,839	22.5	938	4.4
Galway	969	425	345	770	20.8	169	4.6
Leltrim	92	85	55	140	18.3	17	2.2
Mayo	487	299	310	609	21.1	72	2.5
Roscommon	136	116	119	235	16.7	56	4.0
Sligo	299	152	137	289	22.6	51	4.0
CONNACHT	1,983	1,077	966	2,043	20.4	365	3.6
Cavan	176	127	118	245	18.2	57	4.2
Donegal	483	242	250	492	18.1	116	4.3
Monaghan	181	112	124	236	20.6	49	4.3
ULSTER (part of)	840	481	492	973	18.7	222	4.3

(a) Equivalent Annual Rate.

*Since these rates in the case of particular areas, are based on small numbers they are subject to fairly considerable random fluctuations and caution should be exercised in interpreting them.

Table Vi.—Deaths classified by County of Occurrence and County of Residence of Deceased. Death, infant Mortality and Neo-natal Mortality Rates for the Quarter ended 30th June, 1966.

Provinces, Counties and County Boroughs	Deaths registered	Deaths assigned to county of residence of deceased			Rate per 1,000 population (a)	Deaths of infants under 1 year per 1,000 births* (b)	Neo-natal mortality* (c)
		Males	Females	Total			
TOTAL	9,114	4,910	4,204	9,114	12.7	25.1	16.2
Carlow	96	60	51	111	13.3	33.3	33.3
Dublin County Borough	1,673	670	692	1,362	9.6	27.7	19.2
Dun Laoghaire Borough	153	64	83	147	11.4	24.8	14.2
Dublin County (remainder)	219	146	132	278	6.4	17.5	11.7
Kildare	138	110	69	179	10.8	40.3	21.3
Kilkenny	186	110	92	202	13.4	35.1	24.6
Laois	121	66	66	132	11.8	16.5	16.5
Longford	107	72	49	121	16.7	36.8	24.5
Louth	211	108	95	203	11.7	28.0	23.4
Meath	170	112	101	213	12.7	23.0	15.3
Offaly	104	68	54	122	9.4	23.5	16.8
Westmeath	180	84	90	174	13.2	20.9	10.4
Wexford	268	152	126	278	13.3	23.5	14.1
Wicklow	134	85	91	176	11.7	21.1	12.0
LEINSTER	3,760	1,907	1,791	3,698	10.5	25.3	17.6
Clare	255	159	112	271	14.7	21.1	15.8
Cork County Borough	541	178	191	369	12.1	26.5	20.2
Cork County	644	447	362	809	14.9	20.8	10.0
Kerry	378	209	183	392	13.9	11.8	5.9
Limerick County Borough	190	64	62	126	9.0	9.5	4.8
Limerick County	264	185	120	305	15.0	26.8	22.4
Tipperary N.R.	186	116	87	203	15.1	32.0	17.8
Tipperary S.R.	289	175	119	294	17.1	40.8	30.6
Waterford County Borough	176	54	66	120	16.2	48.4	43.0
Waterford County	138	106	79	185	17.1	17.4	8.7
MUNSTER	3,061	1,693	1,381	3,074	14.3	23.6	15.7
Galway	548	293	218	511	13.8	23.4	7.8
Letttrim	112	68	61	129	16.9	21.4	14.3
Mayo	467	272	220	492	17.0	14.8	6.6
Roscommon	208	125	105	230	16.4	46.8	25.5
Sligo	213	115	95	210	16.4	20.8	17.3
CONNAUGHT	1,548	873	699	1,572	15.7	23.0	11.3
Cavan	211	131	95	226	16.8	24.5	16.3
Donegal	375	220	160	380	14.0	34.6	20.3
Monaghan	159	86	78	164	14.3	29.7	12.7
ULSTER (part of)	745	437	333	770	14.8	30.8	17.5

(a) Equivalent annual rate based on population figures.

(b) Assigned to county of residence of mother.

(c) Deaths under 28 days per 1,000 births assigned to county of residence of mother.

* See footnote on opposite page.

Table VII.—Births and Deaths assigned to the Principal Towns (other than the County Boroughs and Dun Laoghaire Borough) during the Quarter ended 30th June, 1966.

TOWN	Population according to the Preliminary Report on 1966 Census	Births	Deaths	Annual rate per 1,000 population		Deaths of		Cause of death																				
				Births	Deaths	Infants under 1 year	Persons 65 years and over	Tuber- culosis	Other forms	Scarlet fever	Diphtheria	Whooping cough	Measles	Acute infectious encephalitis	Malignant neoplasms			Heart diseases	Other diseases of circulatory system (a)	Influenza	Other diseases of respiratory system	Gastro-enteritis (under 2 years)	Complications of pregnancy and childbirth	Suicidity	All other diseases	External causes (accidents, etc.)		
															Digestive system	Respiratory system	Other											
TOTAL	131,933	744	331	22.6	10.0	19	232	6	1	-	-	-	-	-	-	27	8	17	46	88	13	12	37	3	-	23	42	8
Galway	24,495	87	38	14.2	6.2	3	22	-	-	-	-	-	-	-	-	1	-	3	12	8	-	2	6	1	-	-	3	2
Dundalk	19,834	114	44	23.0	8.9	4	31	2	-	-	-	-	-	-	-	4	-	2	4	13	1	1	7	-	-	-	10	-
Drogheda	17,823	116	54	26.0	12.1	3	36	1	1	-	-	-	-	-	-	3	2	5	10	16	1	1	5	-	-	2	6	1
Sligo	13,297	89	45	26.8	13.5	2	36	1	-	-	-	-	-	-	-	4	-	1	2	8	4	1	3	-	-	12	8	1
Bray	12,657	67	29	21.2	9.2	1	20	1	-	-	-	-	-	-	-	3	2	2	4	9	1	-	3	-	-	-	4	-
Wexford	11,533	64	16	22.2	5.5	-	13	-	-	-	-	-	-	-	-	3	-	1	3	4	1	1	2	-	-	-	1	-
Tralee	11,211	74	35	26.4	12.5	-	27	-	-	-	-	-	-	-	-	4	-	-	3	9	1	3	6	-	-	4	3	2
Clonmel	11,026	71	35	25.8	12.7	3	20	-	-	-	-	-	-	-	-	3	3	2	3	8	3	2	2	1	-	3	4	1
Kilkenny	10,057	62	35	24.7	13.5	3	27	1	-	-	-	-	-	-	-	2	1	1	5	13	1	1	3	1	-	2	3	1

(a) Including Rheumatic fever.

Table VIII.— Summary of Cases of Infectious Diseases notified to the Department of Health during the June Quarter, 1966.

COUNTY OR COUNTY BOROUGH	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infective hepatitis	Infective mononucleosis	Infectious pneumonia	Malaria
COUNTY BOROUGHES												
CORK	-	-	1	3	-	3	-	-	3	1	-	-
DUBLIN	-	1	-	216	-	30	-	4	84	12	8	-
LIMERICK	-	-	-	-	-	1	-	-	6	-	1	-
WATERFORD	-	-	-	-	-	-	-	-	-	-	-	-
COUNTIES												
CARLOW												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	-	-	-	-	-	-	-	-	-
CAVAN												
Urban	-	-	-	-	-	-	-	-	2	-	-	-
Rural	-	-	-	-	-	-	-	-	-	-	-	-
CLARE												
Urban	-	-	-	2	-	-	-	1	1	-	7	-
Rural	-	-	-	3	-	-	-	1	-	-	5	-
CORK												
Urban	-	-	-	1	-	1	-	1	3	-	1	-
Rural	-	2	-	7	-	5	-	1	-	-	-	-
DONOGAL												
Urban	-	-	-	-	-	1	-	1	-	-	-	-
Rural	-	-	-	2	-	-	-	-	-	-	-	-
DUBLIN												
Urban	-	-	-	16	-	2	-	1	7	2	1	-
Rural	-	-	-	44	-	4	-	2	10	6	-	-
GALWAY												
Urban	-	1	-	11	-	-	-	-	1	-	-	-
Rural	-	-	-	24	-	25	-	-	10	-	-	-
KERRY												
Urban	-	-	1	-	-	-	-	3	7	-	3	-
Rural	-	-	1	-	-	-	-	-	-	-	29	-
KILDARE												
Urban	-	-	-	1	-	-	-	-	-	-	1	-
Rural	-	1	-	8	-	1	-	-	4	2	-	-
KILKENNY												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	2	-	-	-	-	-	-	-	-
LAOIS												
Rural	-	-	-	11	-	-	-	-	-	1	-	-
LEITRIM												
Rural	-	-	-	3	-	-	-	-	-	-	-	-
LIMERICK												
Rural	-	-	-	2	-	-	-	-	-	-	-	-
LONGFORD												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	-	-	-	-	-	-	-	-	-
LOUTH												
Urban	-	-	-	9	-	3	-	-	2	-	-	-
Rural	-	-	-	6	-	3	-	-	1	-	-	-

Table VIII.—continued

COUNTY OR COUNTY BOROUGH	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infective hepatitis	Infective mononucleosis	Influenza pneumonia	Malaria
MAYO												
Urban	-	-	-	1	-	-	-	-	-	-	-	-
Rural	-	-	-	2	-	-	-	2	9	-	5	-
MEATH												
Urban	-	-	-	8	-	-	-	1	5	-	-	-
Rural	-	-	-	12	-	-	-	1	16	-	-	-
MONAGHAN												
Urban	-	-	-	-	-	-	-	-	-	-	1	-
Rural	-	-	-	1	-	-	-	-	-	-	1	-
OFFALY												
Urban	-	-	-	4	-	-	-	-	2	-	-	-
Rural	-	-	-	13	-	1	-	-	7	-	1	-
ROSCOMMON												
Rural	1	-	-	2	-	-	-	-	-	-	1	-
SLIGO												
Urban	-	-	-	2	-	-	-	-	1	-	-	-
Rural	-	-	-	-	-	-	-	-	2	-	-	-
TIPPERARY N.R.												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	2	-	-	-	-	-	-	-	-	5	-
TIPPERARY S.R.												
Urban	-	-	-	16	-	3	-	-	-	-	-	-
Rural	-	-	-	-	-	-	-	-	-	-	42	-
WATERFORD												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	-	-	-	-	-	-	-	-	-
WESTMIDLAND												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	4	-	-	-	-	8	-	-	-
WEXFORD												
Urban	-	-	-	6	-	-	-	-	1	-	-	-
Rural	-	-	-	4	-	2	-	-	-	-	5	-
WICKLOW												
Urban	-	-	-	7	-	-	-	-	12	-	-	-
Rural	-	-	-	3	-	-	-	-	3	-	-	-
ALL COUNTY BOROUGHS	-	1	1	219	-	34	-	4	93	13	9	-
ALL URBAN DISTRICTS	-	1	1	84	-	9	-	2	31	2	13	-
ALL RURAL DISTRICTS	1	5	1	153	-	42	-	11	83	9	95	-
TOTAL	1	7	3	456	-	85	-	17	207	24	117	-

Table VIII.—continued

COUNTY OR COUNTY BOROUGH	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Well's disease	Whooping cough	Other notifiable infectious diseases
COUNTY BOROUGH													
CORK	29	-	-	-	6	25	5	-	-	-	-	4	-
DUBLIN	618	-	-	1	417	36	40	1	-	2	-	54	2c, 3d
LIMERICK	10	-	-	-	-	2	3	-	-	-	-	-	-
WATERFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
COUNTIES													
CARLOW													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	14	-	-	-	-	-	-	-	-	-	-	-	-
CAVAN													
Urban	-	-	-	-	-	-	3	-	-	-	-	-	-
Rural	110	-	-	-	-	-	-	-	-	-	-	-	-
CLARE													
Urban	2	-	-	-	-	-	-	-	-	-	-	1	-
Rural	-	-	-	-	-	-	-	-	-	-	-	-	-
CORK													
Urban	-	-	-	-	-	-	10	-	-	-	-	-	-
Rural	10	-	-	-	4	-	-	-	-	-	-	-	-
DONEGAL													
Urban	-	-	-	-	-	-	2	-	-	-	-	-	-
Rural	-	-	-	-	-	-	-	-	-	-	-	-	-
DUBLIN													
Urban	227	-	-	-	34	-	6	-	-	-	-	11	1c, 1d
Rural	194	-	-	-	34	-	21	-	-	-	-	6	2c, 2d
GALWAY													
Urban	49	-	-	-	-	-	1	-	-	-	-	4	-
Rural	99	-	-	-	-	-	-	-	-	-	-	-	1c
KERRY													
Urban	-	-	-	-	7	-	-	-	-	-	-	-	-
Rural	1	-	-	-	1	-	1	-	-	-	-	13	-
KILDARE													
Urban	3	-	-	-	-	-	-	-	-	-	-	-	-
Rural	17	-	-	-	2	-	-	-	-	-	-	-	-
KILKENNY													
Urban	4	-	-	-	-	-	-	-	-	-	-	-	-
Rural	20	-	-	-	-	-	-	-	-	-	-	6	-
LAOIS													
Rural	-	-	-	-	-	-	-	-	-	-	-	-	-
LEITRIM													
Rural	-	-	-	-	-	-	-	-	-	-	-	-	-
LIMERICK													
Rural	-	-	-	-	-	-	-	-	-	-	-	-	1c
LONGFORD													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	3	-	-	-	-	-	-	-	-	-	-	-	-
LOUTH													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	1	-	-	-	-	-	-	-	-	1	-	-	-

(c) Salmonella Infection.

(d) Acute Lymphocytic Meningitis.


Table VIII.—continued

COUNTY OR COUNTY BOROUGH	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Trinea capitis	Trachoma	Typhoid	Wet's disease	Whooping cough	Other notifiable infectious diseases
MAYO													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	29	-	-	-	-	-	3	-	-	-	-	7	-
MEATH													
Urban	36	-	-	-	-	4	2	-	-	-	-	-	-
Rural	11	-	-	-	1	-	2	-	-	-	-	-	-
MONAGHAN													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	-	-	-	-	-	-	-	-	-	-
OFFALY													
Urban	33	-	-	-	-	-	1	-	-	-	-	-	-
Rural	25	-	-	-	-	-	1	-	-	-	-	-	-
ROSCOMMON													
Rural	11	-	-	-	-	-	-	-	-	-	-	-	-
SLIGO													
Urban	-	-	-	-	21	-	1	-	-	-	-	-	-
Rural	1	-	-	-	-	-	2	-	-	-	-	-	-
TIPPERARY N.E.													
Urban	17	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	-	-	-	-	-	-	-	-	-	-
TIPPERARY S.E.													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	11	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	1	-	-	-	-	-	-	-	-	-	-	-	-
WESTMEATH													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	107	-	-	-	-	-	-	-	-	-	-	-	-
WEXFORD													
Urban	6	-	-	-	-	-	3	1	-	-	-	-	-
Rural	9	-	-	-	-	-	-	2	-	-	-	1	-
WICKLOW													
Urban	21	-	-	-	10	-	3	-	-	-	-	-	-
Rural	116	-	-	-	2	-	-	-	-	-	-	-	-
ALL COUNTY BOROUGHES	657	-	-	1	423	63	48	1	-	2	-	58	2c,3d
ALL URBAN DISTRICTS	398	-	-	-	72	4	16	1	-	-	-	16	1c,1d
ALL RURAL DISTRICTS	790	-	-	-	44	-	46	2	-	1	-	33	4c,2d
TOTAL	1,845	-	-	1	539	67	110	4	-	3	-	107	7c,6d

(c) Salmonella Infaction.

(d) Acute Lymphocytic Meningitis.

1966]
3rd Quarter



[No. 411

AN ROINN SLÁINTE

TUARASCÁIL CINN RÁITHE

ar

BHREITHEANNA, BHÁSA AGUS PHÓSTAÍ

agus ar

GHALAIR ÁIRITHE AICÍDEACHA

QUARTERLY REPORT

ON

BIRTHS, DEATHS AND MARRIAGES

AND ON


CERTAIN INFECTIOUS DISEASES

SEPTEMBER QUARTER, 1966

Compiled by the Central Statistics Office

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1.
or through any Bookseller

Price Sixpence Net



CONTENTS

SEPTEMBER QUARTER, 1966

	PAGE
Text	35
Table I. Marriages, Births, Deaths and Infant Mortality	36
„ II. Deaths from Principal Causes	37
„ III. Deaths registered, classified by Cause and Age Group	38
„ IV. Deaths classified by Cause and by County of Residence of Deceased	40
„ V. Births classified by County of Occurrence and by Residence of Mother. Marriages classified by County in which registered. Birth and Marriage Rates	42
„ VI. Deaths classified by County of Occurrence and County of Residence of Deceased. Death, Infant Mortality and Neo-natal Mortality Rates for each County	43
„ VII. Births and Deaths assigned to the Principal Towns (other than the County Boroughs and Dun Laoghaire Borough)	44
„ VIII. Summary of cases of Infectious Diseases notified to the Department of Health	45

NOTE—The figures in this report for 1965 and 1966 are provisional, while those relating to 1964 and earlier years are definitive. The numbers of births and deaths are exclusive of late registrations, i.e., births and deaths registered on the authority of An tArd-Chlaraitheoir. Births, deaths and marriages are registered in the county or county borough in which they occur. In the case of births and deaths assigned figures, i.e., those relating to residents of each area, are also shown.

SEPTEMBER QUARTER, 1966

MARRIAGES

The number of marriages returned during the quarter was 6,359 equivalent to an annual rate of 8.8 per 1,000 population; the same as that for the corresponding quarter of 1965.

Of the total marriages 6,152 were celebrated in accordance with the rites and ceremonies of the Catholic Church, being equivalent to a rate of 9.0 per 1,000 of Catholics in the population. The remainder, 207 is equivalent to a rate of 5.6 per 1,000 of the population other than Catholic.

The number of marriages registered in each county and county borough in the quarter is shown in Table V.

BIRTHS

The number of births registered during the quarter was 15,895, of which 8,199 were those of males and 7,696 were those of females. This number represents a rate of 22.1 per 1,000 of the population per annum, 2.3 below that for the third quarter of 1965.

The total includes 334 illegitimate births, equivalent to 2.1 per cent of all births registered.

The number of births registered in each county and county borough, and also births assigned according to the area of normal residence of the mother, are shown in Table V.

DEATHS

The number of deaths registered during the quarter was 7,123 of which 3,938 were those of males and 3,185 were those of females. The equivalent annual rate was 9.9 per 1,000 population, being 0.4 below that for the third quarter of 1965.

Deaths classified according to cause, sex and age group are shown in Table III, and according to cause and area of residence in Table IV. The number of deaths registered in each area is shown in Table VI.

Tuberculosis.—Deaths from this disease numbered 65, including 56 from tuberculosis of the respiratory system and 9 from other forms of tuberculosis. Corresponding figures for the third quarter of 1965 were 63, 53 and 10 respectively. For rates see Table II.

Other Infectious Diseases.—There were 3 deaths from infectious hepatitis, 3 from septicaemia, 2 from acute infectious encephalitis and one from whooping cough.

Malignant Neoplasms.—Deaths under this heading numbered 1,260 equivalent to a rate of 1.7 per 1,000 population. Of these, 542 or 43 per cent, were due to malignant neoplasms of the digestive system.

Diseases of Circulatory System.—Deaths under this heading numbered 2,729, equivalent to a rate of 3.8 per 1,000 population. Of these, coronary and arteriosclerotic heart disease accounted for 1,255 or 46 per cent, while 611 or 22 per cent were due to other myocardial degeneration.

Diseases of Respiratory System.—Deaths from influenza numbered 39, pneumonia accounted for 252 deaths, while the remaining respiratory diseases caused 328 deaths, corresponding figures for the third quarter of 1965 were 18, 228 and 310 respectively.

Maternal Mortality.—There were 5 deaths due to complications of pregnancy and childbirth, equivalent to a rate of 0.3 per 1,000 births registered. The rate for the third quarter of 1965 was 0.2.

Infant Mortality.—There were 366 deaths of infants under one year of age and 252 of these occurred at ages under 4 weeks. The infant mortality rate was 23 per 1,000 births registered and the neo-natal rate was 16. The rates for the corresponding quarter of 1965 were the same. The rates for counties are shown in Table VI.

Population.—The population in April, 1966 was 2,880,752; 1,448,214 males and 1,432,538 females according to the preliminary results of the Census of Population 1966. These figures are provisional.

Table II.—DEATHS from some of the PRINCIPAL CAUSES registered during each of the years 1961 to 1966 by quarterly periods.

YEAR AND QUARTER		DEATHS FROM										ANNUAL DEATH RATES									
		Tuberculosis		Typhoid fever	Scarlet fever	Diphtheria	Whooping Cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Malignant neoplasms	Influenza	Gastro-enteritis (under 2 years)	Complica- tions of pregnancy and childbirth	Per 1,000 population			Per 1,000 births	Complica- tions of pregnancy and childbirth		
		Isyptem	Other forms												Malignant neoplasms	Influenza					
{ First Quarter	1961	152	13	1	1	6	1	3	10	1,198	946	23	4	0.22	0.02	1.7	1.3	0.3			
	1962	124	10	1	1	1	1	1	4	1,249	195	14	5	0.18	0.01	1.8	0.3	0.5			
	1963	119	11	1	1	1	1	1	2	1,180	68	9	8	0.17	0.01	1.7	0.1	0.3			
	1964	120	6	1	1	1	1	1	2	1,234	80	14	6	0.17	0.01	1.7	0.1	0.4			
	1965	91	4	1	1	1	1	1	2	1,245	55	17	3	0.13	0.01	1.7	0.1	0.2			
{ 1st Quarter, 1966	1966	98	14	1	1	1	1	2	4	1,295	463	23	3	0.14	0.02	1.8	0.6	0.2			
	1961	73	15	1	1	3	1	2	11	1,166	131	35	7	0.10	0.02	1.7	0.2	0.4			
	1962	95	17	1	1	1	1	1	6	1,213	81	16	10	0.13	0.02	1.7	0.1	0.6			
	1963	94	10	1	1	1	1	1	5	1,240	60	13	6	0.13	0.01	1.7	0.1	0.4			
	1964	85	10	1	1	1	1	1	4	1,247	196	17	8	0.12	0.01	1.7	0.1	0.3			
{ 2nd Quarter, 1966	1965	75	6	1	1	3	3	3	3	1,192	41	37	10	0.11	0.01	1.7	0.1	0.6			
	1961	76	7	1	1	1	1	1	2	1,222	415	33	7	0.11	0.01	1.7	0.6	0.4			
	1962	74	5	1	1	1	1	1	4	1,137	34	19	10	0.11	0.01	1.6	0.0	0.7			
	1963	78	5	1	1	1	1	1	1	1,184	25	18	5	0.10	0.01	1.7	0.0	0.3			
	1964	70	7	1	1	1	1	1	6	1,266	18	15	6	0.10	0.02	1.8	0.0	0.4			
{ 3rd Quarter, 1966	1965	53	10	1	1	1	1	1	3	1,249	18	33	3	0.07	0.01	1.7	0.0	0.5			
	1961	56	9	1	1	1	1	2	1	1,260	39	32	5	0.08	0.01	1.7	0.1	0.3			
	1962	82	6	1	1	1	1	1	6	1,203	43	20	6	0.12	0.01	1.7	0.1	0.4			
	1963	90	7	1	1	1	1	1	1	1,251	17	17	4	0.13	0.01	1.8	0.0	0.3			
	1964	100	10	1	1	1	1	1	1	1,252	11	18	5	0.14	0.01	1.8	0.0	0.3			
{ Fourth Quarter	1965	81	12	1	1	3	3	1	1	1,217	17	16	1	0.13	0.01	1.7	0.0	0.5			
	1961	81	12	1	1	3	3	1	1	1,267	18	16	1	0.11	0.02	1.8	0.0	0.1			
	1962	381	39	1	1	12	7	6	31	4,704	1,154	97	27	0.14	0.01	1.67	0.41	0.45			
	1963	387	39	1	1	12	7	4	18	4,897	318	65	27	0.14	0.01	1.73	0.11	0.44			
	1964	388	44	1	1	12	7	5	14	4,938	157	55	22	0.14	0.02	1.73	0.05	0.35			
{ YEAR	1965	368	33	1	1	7	3	1	14	4,962	316	65	30	0.13	0.01	1.74	0.11	0.47			
	1966	300	32	1	1	4	3	1	8	4,953	132	103	17	0.11	0.01	1.73	0.05	0.27			
	YEAR 1966																				

Table III. — Deaths registered during the Quarter ended 30th September, 1966, classified by Cause and Age Group.

INTERNATIONAL NUMBERS		CAUSE OF DEATH	All Ages			Age									
Detailed List	Abbreviated B List		Persons	Males	Females	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
		Total deaths	7,123	3,938	3,185	366	47	57	76	72	168	486	944	1,880	3,027
001-008	1	Tuberculosis of respiratory system	56	42	14	.	.	.	1	2	5	6	18	18	6
010-019	2	Tuberculosis, other forms	9	7	2	.	2	.	.	.	3	3	1	.	.
020-029	3	Syphilis and its sequelae	1	1	1	.
040	4	Typhoid fever
045-048	6	Dysentery, all forms
050	7a	Scarlet fever
051	7b	Streptococcal sore throat
055	8	Diphtheria
056	9	Whooping cough	1	1	.	1
057	10	Meningococcal infections	1	1
080	12	Acute poliomyelitis
085	14	Measles
Rem. of 001-138	17	Other infective and parasitic diseases*	10	7	3	1	1	2	1	1	.	2	1	.	1
151	18a	Malignant neoplasms :— of stomach	196	111	85	2	4	20	36	69	65
Rem. of 150-159	18b	of other digestive organs and peritoneum	345	177	169	4	5	26	65	136	110
160-165	18c	of respiratory system	219	181	38	3	39	71	76	30
170	18d	of breast	99	1	98	13	24	18	25	19
171-181	18e	of genito-urinary system	172	102	70	3	1	1	1	.	10	19	27	56	55
200-205	18f	of lymphatic and haematopoietic tissues	66	34	32	.	2	2	1	3	6	7	18	19	8
Rem. of 140-205	18g	other	162	97	65	.	.	5	2	3	10	21	28	52	41
210-239	19	Benign and unspecified neoplasms	28	13	15	1	.	.	.	1	3	5	6	4	8
260	20	Diabetes mellitus	54	21	33	3	17	19	15
290-293	21	Anaemias	37	19	18	.	.	1	.	1	1	4	3	7	20
330-334	22	Vascular lesions of central nervous system	867	385	482	.	.	1	2	1	9	32	103	259	460
340	23	Non-meningococcal meningitis	4	3	1	2	1	.	.	1
400-402	24	Rheumatic fever	1	1	1
410-416	25	Chronic rheumatic heart disease	52	24	28	.	.	.	2	.	7	8	8	11	16
421	26a	Chronic endocarditis	54	28	26	.	.	.	2	1	3	4	6	16	22

	25b		1,255	832	423	3	27	107	230	451	437
Coronary and arteriosclerotic heart disease																
Other myocardial degeneration	25c		611	305	306	1	1	7	25	117	460
Other diseases of heart	27		329	166	163	.	1	1	2	2	2	2	11	20	90	200
Hypertension with heart disease	28		128	50	78	3	19	35	71
Hypertension without mention of heart	29		68	34	34	.	.	.	1	.	.	1	11	16	15	24
Other diseases of circulatory system	46a		231	116	115	1	1	5	7	17	55	146
Influenza	30		39	20	19	1	2	9	27
Pneumonia	31		252	118	134	30	8	3	2	4	4	4	11	23	50	117
Bronchitis	32		240	174	66	.	1	1	1	2	3	9	43	69	111	
Bronchiectasis	46b		15	10	5	.	.	.	1	.	.	.	1	3	8	2
Other diseases of respiratory system	46c		73	46	27	4	4	10	5	18	32
Ulcer of stomach and duodenum	33		52	38	14	2	7	12	18	13
Appendicitis	34		4	2	2	.	1	1	2
Intestinal obstruction and hernia	35		39	15	24	1	6	13	19
Gastritis and enteritis (except of newborn)	36		61	34	27	27	2	2	4	4	7	15
Cirrhosis of liver	37		23	14	9	1	4	6	10	2
Other diseases of digestive system	46d		42	20	22	.	1	.	1	2	.	.	6	4	16	12
Nephritis and nephrosis	38		64	38	26	2	.	1	6	3	2	2	6	14	12	18
Hyperplasia of prostate	39		44	44	1	8	35
Complications of pregnancy and childbirth	40		5	.	5	4	1
Congenital malformations	41		126	61	65	102	9	7	2	1	.	.	1	4	.	.
Birth injuries, asphyxia and atelectasis	42		87	55	32	86	1
Infections of the newborn	43		14	8	6	14
Other diseases of early infancy	44		78	49	29	78
Senility without psychosis	45a		232	108	124	226
Ill-defined and unknown causes	45b		67	35	32	1	5	11	46
All other diseases	46e		239	114	125	8	3	8	7	5	13	25	31	59	80	
EXTERNAL CAUSES:																
Motor vehicle accidents	47		74	58	16	.	4	8	14	12	8	13	6	6	6	3
All other accidents	48		178	106	72	9	6	16	20	13	8	12	19	24	51	
Suicide and self-inflicted injury	49		13	9	4	.	.	.	3	.	1	1	3	4	1	
Homicide and operations of war	50		5	3	2	.	.	.	4	.	.	.	1	.	.	

* See text. † See Table IV.

Table IV.—Deaths classified by Cause and by County of Residence of Deceased for the Quarter ended 30th September, 1966.

Provinces, Counties and County Boroughs	Population according to the Preliminary Report on 1966 Census	Deaths of		Cause of death															All other diseases	Benlity	Complications of preg- nancy and childbirth	Gastro-enteritis (under 2 years) (b)	Other diseases of respiratory system	Influenza	Other diseases of circulatory system (a)	Heart diseases	Malignant neoplasms				Acute infectious encephalitis	Measles	Acute poliomyelitis	Whooping cough	Diphtheria	Scarlet fever	Tuber- culosis		Infants under 1 year	Persons 65 years and over	Total deaths																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		Infants under 1 year	Persons 65 years and over	Respiratory	Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Measles	Acute infectious encephalitis	Malignant neoplasms			Digestive system	Neoplasms system	Other	Vascular lesions of central nervous system									Heart diseases	Other diseases of circulatory system (a)	Influenza	Other diseases of respiratory system							Gastro-enteritis (under 2 years) (b)	Complications of preg- nancy and childbirth				Benlity	All other diseases	External causes (accidents, etc.)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
TOTAL	2,880,752	7,123	366	4,907	56	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Clare	73,539	432	11	183	3	-	-	-	-	-	-	11	4	14	16	103	11	3	20	1	1	15	35	6	
Cork County Borough	122,066	300	14	201	2	-	-	-	-	-	-	32	15	18	36	111	12	1	28	2	-	3	35	5	
Cork County	217,459	635	17	452	5	-	-	-	-	-	-	53	19	45	88	209	31	3	48	1	-	23	89	21	
Kerry	112,642	372	13	273	1	-	-	-	-	-	-	25	7	19	33	147	17	5	19	-	-	21	60	18	
Limerick Co. Borough	55,885	89	7	60	1	-	-	-	-	-	-	7	5	4	13	23	3	-	11	-	-	3	14	5	
Limerick County	81,337	236	9	168	1	-	-	-	-	-	-	16	6	21	30	87	5	2	15	-	-	10	29	14	
Tipperary N.R.	53,832	136	7	92	-	-	-	-	-	-	-	7	4	15	15	44	5	1	10	-	-	13	21	1	
Tipperary S.R.	68,946	140	11	90	-	-	-	-	-	-	-	1	9	1	7	21	60	4	-	11	3	2	17	4	
Waterford Co. Borough	29,642	63	6	38	1	-	-	-	-	-	-	4	3	1	6	18	2	-	12	1	-	-	11	4	
Waterford County	43,344	125	5	87	1	-	-	-	-	-	-	16	3	6	15	35	4	-	15	1	-	4	20	5	
MUNSTER	858,742	2,338	100	1,644	15	-	-	-	-	-	-	1	180	67	150	273	837	94	15	189	8	1	94	331	83
Galway	148,190	393	12	277	2	2	-	-	-	-	-	16	8	37	39	18	17	9	33	3	-	13	52	14	
Leitrim	30,532	89	-	70	1	-	-	-	-	-	-	8	2	5	8	38	2	-	5	-	-	6	9	5	
Mayo	115,588	312	10	227	1	1	-	-	-	-	-	26	10	18	37	110	11	2	11	1	-	36	40	8	
Roscommon	56,130	162	7	123	-	-	-	-	-	-	-	7	3	16	24	71	5	1	10	-	1	4	17	3	
Sligo	51,078	149	5	117	1	-	-	-	-	-	-	18	4	12	22	43	8	1	12	-	-	5	19	4	
CONNAUGHT	401,518	1,105	34	814	5	3	-	-	-	-	-	75	27	88	130	410	43	13	71	4	1	64	137	34	
Cavan	53,815	182	6	128	-	-	-	-	-	-	-	11	3	10	29	74	7	2	8	-	-	5	26	7	
Donegal	108,486	320	14	241	3	1	-	-	-	-	-	33	1	22	32	113	10	1	28	1	-	9	54	12	
Monaghan	45,726	107	4	79	-	-	-	-	-	-	-	8	1	5	23	38	7	1	8	-	-	1	14	1	
ULSTER (part of)	208,027	609	24	448	3	1	-	-	-	-	-	52	5	37	84	225	24	4	44	1	-	15	94	20	

(a) Includes Rheumatic Fever

(b) Comprises part of B36 and part of B43 in Table III.

TABLE V—Births classified by County of Occurrence and by County of Residence of Mother. Marriages classified by County in which registered and Birth and Marriage Rates, for the Quarter ended 30th September, 1966

Provinces, Counties and County Boroughs	Births registered	Births assigned to county of residence of mother				Marriages	
		Males	Females	Total	Rate per 1,000 population (a)	Registered	Rate per 1,000 population (a)
TOTAL	15,895	8,199	7,696	15,895	22.1	6,359	8.8
Carlow	175	128	89	217	25.9	57	6.8
Dublin County Borough	5,042	1,560	1,450	3,010	21.2	1,769	12.4
Dun Laoghaire Borough	377	141	134	275	21.2	139	10.7
Dublin County (remainder)	136	681	659	1,340	30.8	261	6.0
Kildare	144	227	225	452	27.2	154	9.3
Kilkenny	227	150	159	309	20.4	113	7.5
Laois	190	122	109	231	20.7	100	9.0
Longford	108	66	76	142	19.6	49	6.8
Louth	796	224	197	421	24.3	236	13.6
Meath	77	216	195	411	24.4	186	11.1
Offaly	277	184	155	339	26.2	110	8.5
Westmeath	292	188	140	328	24.8	123	9.3
Wexford	538	308	320	628	30.1	159	7.6
Wicklow	109	176	155	331	22.0	150	10.0
LEINSTER	8,488	4,371	4,063	8,434	23.9	3,606	10.2
Clare	270	187	175	362	19.7	84	4.6
Cork County Borough	1,585	431	345	776	25.4	318	10.4
Cork County	411	593	553	1,146	21.1	444	8.2
Kerry	463	248	254	502	17.8	179	6.4
Limerick County Borough	910	158	176	334	23.9	133	9.5
Limerick County	29	220	218	438	21.5	110	5.4
Tipperary N.B.	295	148	170	318	23.6	90	6.7
Tipperary S.B.	348	181	155	336	19.5	147	8.5
Waterford County Borough	380	75	82	157	21.2	103	13.9
Waterford County	70	138	106	244	22.5	88	8.1
MUNSTER	4,761	2,379	2,234	4,613	21.5	1,696	7.9
Galway	1,001	431	361	792	21.4	286	7.7
Letterkenny	56	50	54	104	13.6	45	5.9
Mayo	355	234	240	474	16.4	147	5.1
Roscommon	117	113	91	204	14.5	83	5.9
Sligo	247	103	124	227	17.8	70	5.5
CONNACHT	1,776	931	870	1,801	17.9	631	6.3
Cavan	209	146	146	292	21.7	108	8.0
Donegal	510	264	259	523	19.3	215	7.9
Monaghan	151	108	124	232	20.3	103	9.0
ULSTER (part of)	870	518	529	1,047	20.1	426	8.2

(a) Equivalent Annual Rate.

*Since these rates in the case of particular areas, are based on small numbers they are subject to fairly considerable random fluctuations and caution should be exercised in interpreting them.

Table VI.—Deaths classified by County of Occurrence and County of Residence of Deceased. Death, Infant Mortality and Neo-natal Mortality Rates for the Quarter ended 30th September, 1966.

Provinces, Counties and County Boroughs	Deaths registered	Deaths assigned to county of residence of deceased			Rate per 1,000 population (a)	Deaths of infants under 1 year per 1,000 births* (b)	Neo-natal mortality* (c)
		Males	Females	Total			
TOTAL	7,123	3,938	3,185	7,123	9.9	23.0	15.9
Carlow	56	28	35	63	7.5	18.4	13.8
Dublin County Borough	1,485	587	558	1,145	8.1	22.9	14.3
Dun Laoghaire Borough	123	45	60	105	8.1	29.1	21.8
Dublin County (remainder)	175	154	122	276	6.4	29.9	19.4
Kildare	101	83	42	125	7.5	22.1	11.1
Kilkenny	153	95	73	168	11.1	32.4	19.4
Laois	107	68	55	123	11.0	30.3	21.6
Longford	85	62	36	98	13.5	42.3	42.3
Louth	156	93	56	149	8.5	30.9	26.1
Leath	123	74	73	147	8.7	29.2	21.9
Offaly	90	55	55	110	8.5	20.6	14.7
Westmeath	123	85	42	127	9.6	9.1	9.1
Wexford	255	155	132	287	13.8	19.1	12.7
Wicklow	103	95	53	148	9.8	21.1	18.1
LEINSTER	3,135	1,679	1,392	3,071	8.7	24.7	16.8
Carro	233	151	91	242	13.2	30.4	27.6
Dork County Borough	431	150	150	300	9.8	18.0	10.3
Dork County	513	353	282	635	11.7	14.8	11.3
Derry	361	214	158	372	13.2	25.9	13.9
Down County Borough	131	42	47	89	6.4	21.0	12.0
Down County	202	136	100	236	11.6	20.5	16.0
Downery N.B.	119	77	59	136	10.1	22.0	18.9
Downery S.B.	137	71	69	140	8.1	32.7	20.8
Downford County Borough	113	31	32	63	8.5	38.2	19.1
Downford County	85	65	60	125	11.5	20.5	20.5
MUNSTER	2,325	1,290	1,048	2,338	10.9	21.7	15.2
Clway	428	224	169	393	10.6	15.2	10.1
Clrim	80	59	30	89	11.7	-	-
Clro	281	159	153	312	10.8	21.1	10.5
Common	147	97	65	162	11.5	34.3	19.6
Clro	144	86	63	149	11.7	22.0	17.6
CONNACHT	1,080	625	480	1,105	11.0	18.9	11.7
Clvan	170	114	68	182	13.5	20.5	13.7
Clnegal	311	175	145	320	11.8	26.8	21.0
Claghan	102	55	52	107	9.4	17.2	17.2
ULSTER (part of)	583	344	265	609	11.7	22.9	18.1

(a) Equivalent annual rate based on population figures.

(b) Assigned to county of residence of mother.

(c) Deaths under 28 days per 1,000 births assigned to county of residence of mother.

* See footnote on opposite page.

Table VII.— Births and Deaths assigned to the Principal Towns (other than the County Boroughs and Dun Laoghaire Borough) during the Quarter ended 30th September, 1966.

Towns	Population according to the Preliminary Report on 1966 Census	Births	Deaths	Annual rate per 1,000 population		Deaths of		Cause of death																				
				Births	Deaths	Infants under 1 year	Persons 05 years and over	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Measles	Acute infectious encephalitis	Malignant neoplasms			Vascular lesions of central nervous system	Heart diseases	Other diseases of circulatory system (a)	Influenza	Other diseases of respiratory system	Gastro-enteritis (under 2 years)	Complications of pregnancy and childbirth	Benility	All other diseases	External causes (accidents, etc.)		
														Respiratory	Other forms	Tuber- culosis												
TOTAL	131,933	23.4	8.1	773	267	21	154	1	-	-	-	-	-	-	-	23	12	23	29	84	8	-	20	4	-	10	40	13
Galway	24,495	22.5	7.7	138	47	2	27	-	-	-	-	-	-	-	-	3	1	1	6	16	2	-	5	-	-	-	4	4
Dundalk	19,834	17.5	4.0	87	20	2	14	-	-	-	-	-	-	-	-	1	1	1	4	5	-	-	2	-	-	1	5	-
Drogheda	17,823	26.7	10.3	119	46	6	18	-	-	-	-	-	-	-	-	4	3	5	4	8	-	-	1	-	-	4	10	7
Sligo	13,297	22.3	10.5	74	35	1	27	-	-	-	-	-	-	-	-	6	1	4	2	10	1	-	1	-	-	3	7	-
Bray	12,657	22.1	8.2	70	26	1	13	-	-	-	-	-	-	-	-	1	2	3	3	7	-	-	4	-	-	-	5	1
Wexford	11,533	37.1	9.4	107	27	1	18	-	-	-	-	-	-	-	-	2	-	2	3	14	1	-	4	-	-	-	1	-
Tralee	11,211	21.4	8.2	60	23	1	14	-	-	-	-	-	-	-	-	2	2	-	2	9	2	-	1	-	-	1	3	1
Clonmel	11,026	21.8	6.9	60	19	5	10	-	-	-	-	-	-	-	-	1	1	1	3	7	-	-	2	-	-	-	1	-
Kilkenny	10,057	23.1	9.5	58	24	2	13	1	-	-	-	-	-	-	-	3	1	1	2	8	2	-	-	1	-	1	4	-

(a) Including Rheumatic fever.

Table VIII.—Summary of Cases of Infectious Diseases notified to the Department of Health during the September Quarter, 1966

COUNTY OR COUNTY BOROUGH	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infective hepatitis	Infective mononucleosis	Influenza pneumonia	Malaria
COUNTY BOROUGHS												
CORK	-	-	-	41	-	7	-	-	11	-	-	1
DUBLIN	-	1	1	371	-	33	-	8	91	6	2	-
LIMERICK	-	-	-	-	-	1	-	-	8	-	-	-
WATERFORD	-	-	-	-	-	-	-	-	-	-	-	-
COUNTIES												
CARLOW												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	2	-	-	-	-	2	-	-	-
CAVAN												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	1	-	1	-	-	-	-	2	-	-	-
CLARE												
Urban	-	-	-	1	1	-	-	-	-	-	1	-
Rural	-	-	-	-	-	-	-	-	-	-	-	-
CORK												
Urban	-	-	-	-	-	-	-	-	1	-	-	-
Rural	-	-	-	-	-	-	-	-	7	-	-	-
DONEGAL												
Urban	-	-	-	5	-	-	-	1	-	-	-	-
Rural	-	-	-	-	-	-	-	-	-	-	-	-
DUBLIN												
Urban	-	-	-	30	-	3	-	1	16	2	-	-
Rural	-	-	-	65	-	7	-	-	-	-	-	-
GALWAY												
Urban	-	-	-	26	-	1	-	-	3	1	-	-
Rural	-	1	-	15	-	7	-	-	6	-	-	-
KERRY												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	1	-	-	-	-	-	-	-	-	-
KILDARE												
Urban	-	-	-	1	-	-	-	-	1	-	-	-
Rural	-	-	-	10	-	-	-	-	3	-	-	-
KILKENNY												
Urban	-	-	-	1	-	-	-	-	-	-	-	-
Rural	-	-	-	3	-	-	-	-	-	-	-	-
LAOIS												
Rural	-	-	-	11	-	1	-	-	4	-	-	-
LIMTRIM												
Rural	-	-	-	-	-	-	-	-	-	-	-	-
LIMERICK												
Rural	-	-	-	-	-	-	-	-	-	1	-	-
LONGFORD												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	-	-	-	-	-	1	-	-	-
LOUTH												
Urban	-	-	-	6	-	2	-	-	2	-	-	-
Rural	-	1	-	2	-	-	-	-	-	-	-	-

Table VIII—continued

COUNTY OR COUNTY BOROUGH	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infective hepatitis	Infective mononucleosis	Influenzal pneumonia	Malaria
MAYO												
Urban	-	-	-	1	-	-	-	1	7	-	-	-
Rural	-	-	-	9	-	-	-	-	-	-	-	-
MEATH												
Urban	-	-	-	14	-	-	-	-	2	-	-	-
Rural	-	1	-	16	-	-	-	-	5	-	-	-
MONAGHAN												
Urban	-	-	-	4	-	-	-	-	1	-	-	-
Rural	-	-	-	5	-	-	-	-	7	-	-	-
OFFALY												
Urban	-	-	-	6	-	1	-	-	1	-	-	-
Rural	-	-	-	8	-	-	-	-	-	-	-	-
ROSCOMMON												
Rural	-	-	-	-	-	-	-	-	-	-	-	-
SLIGO												
Urban	-	-	-	4	-	-	-	-	1	-	-	-
Rural	-	-	-	-	-	-	-	-	-	-	-	-
TIPPERARY N.B.												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	-	-	1	-	-	-	-	-	-
TIPPERARY S.R.												
Urban	-	-	1	14	-	3	-	-	1	-	-	-
Rural	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD												
Urban	-	-	-	-	-	-	-	-	1	-	-	-
Rural	-	1	-	11	-	-	-	-	-	-	-	-
WESTMEATH												
Urban	-	-	-	-	-	-	-	-	2	-	-	-
Rural	-	-	-	2	-	-	-	-	12	-	-	-
WEXFORD												
Urban	-	-	-	5	-	3	-	-	1	-	-	-
Rural	-	-	-	3	-	-	-	1	1	-	-	-
WICKLOW												
Urban	-	-	-	11	-	-	-	-	3	-	-	-
Rural	-	-	-	4	-	-	-	-	3	1	-	-
ALL COUNTY BOROUGHES	-	1	1	412	-	41	-	8	110	6	2	1
ALL URBAN DISTRICTS	-	-	1	124	-	10	-	1	19	-	-	-
ALL RURAL DISTRICTS	-	5	1	173	1	19	-	3	77	5	1	-
TOTAL	-	6	3	709	1	70	-	12	206	11	3	1

Table VIII.—continued

COUNTY OR COUNTY BOROUGH	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Well's disease	Whooping cough	Other notifiable infectious diseases
COUNTY BOROUGHS													
CORK	80	-	-	-	29	2	7	-	-	-	-	2	-
DUBLIN	242	-	-	-	113	20	34	-	-	1	-	92	9c, 7d
LIMERICK	11	1	-	-	-	3	-	-	-	-	-	10	1c
WATERFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
COUNTIES													
CARLOW													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	12	-	-	-	-	-	-	-	-	-	-	-	-
CAYN													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	66	-	-	-	-	-	2	-	-	-	-	-	-
CLARE													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	-	-	-	-	-	-	-	-	-	-
CORK													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	8	-	-	-	-	-	9	-	-	-	-	-	7c, 1d
DONEGAL													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	6	-	-	-	-	-	-	-	-	-	-	-	-
DUBLIN													
Urban	23	-	-	-	10	-	4	-	-	1	-	3	-
Rural	69	-	-	-	29	-	11	-	-	-	-	7	2c, 1d
GALWAY													
Urban	30	-	-	-	-	-	1	-	-	-	-	8	-
Rural	60	-	-	-	3	-	2	-	-	-	-	-	-
KERRY													
Urban	2	-	-	-	-	-	1	-	-	-	-	-	-
Rural	12	1	-	-	1	-	1	-	-	-	1	13	-
KILDARE													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	1	-	-	-	1	-	1	-	-	-	-	-	-
KILKENNY													
Urban	-	-	-	-	-	-	1	-	-	-	-	-	-
Rural	46	-	-	-	-	-	-	-	-	-	-	4	-
LAOIS													
Rural	90	-	-	-	-	-	-	-	-	-	-	-	1d
LEITRIM													
Rural	-	-	-	-	-	-	-	-	-	-	-	-	-
LIMERICK													
Rural	1	-	-	-	-	-	2	-	-	-	-	-	1c
LONGFORD													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	1	-	-	-	-	-	-	-	-	-	-	-	-
LOUTH													
Urban	2	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	-	-	-	-	-	-	-	-	-	-


(c) Salmonella infection (d) Acute Lymphocytic Meningitis

Table VIII.—continued.

COUNTY OR COUNTY BOROUGH	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Well's disease	Whooping cough	Other notifiable infectious diseases
MAYO													
Urban	3	-	-	-	-	-	-	-	-	-	-	1	-
Rural	64	1	-	-	-	-	1	-	-	-	-	3	-
MEATH													
Urban	38	-	-	-	-	-	4	-	-	-	-	-	-
Rural	37	-	-	-	-	-	-	-	-	-	-	-	-
MONAGHAN													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	2	-	-	-	-	-	-	-	-	-	-	-	-
OFFALY													
Urban	16	-	-	-	-	-	-	-	-	-	-	-	-
Rural	74	-	-	-	-	-	-	-	-	-	-	-	-
ROSCOMMON													
Rural	20	-	-	1	-	-	-	-	-	-	-	4	-
SLIGO													
Urban	47	-	-	-	3	-	-	-	-	-	-	1	-
Rural	4	-	-	-	2	-	-	-	-	-	-	1	-
TIPPERARY N.R.													
Urban	4	-	-	-	-	-	-	-	-	-	-	-	1c,
Rural	-	-	-	-	-	-	-	-	-	-	-	-	-
TIPPERARY S.R.													
Urban	-	-	-	-	-	-	-	-	-	-	-	1	-
Rural	73	-	-	-	-	-	-	-	-	-	-	2	-
WATERFORD													
Urban	4	-	-	-	-	-	1	-	-	-	-	-	-
Rural	42	-	-	-	-	-	-	-	-	-	-	-	-
WESTMEATH													
Urban	1	-	-	-	-	1	-	-	-	-	-	-	4c,
Rural	49	-	-	-	-	-	-	-	-	-	-	3	-
WEXFORD													
Urban	4	-	-	-	-	-	1	-	-	-	-	-	1d,
Rural	7	-	-	-	-	-	1	-	-	-	-	-	-
WICKLOW													
Urban	14	-	-	-	14	-	3	-	-	-	-	-	-
Rural	37	-	-	-	-	-	-	-	-	-	-	-	-
ALL COUNTY BOROUGHS	333	1	-	-	142	25	41	-	-	1	-	104	10c, 7d,
ALL URBAN DISTRICTS	188	-	-	-	27	1	15	-	-	1	-	5	-
ALL RURAL DISTRICTS	781	2	-	1	36	-	31	-	-	-	1	45	15c, 4d,
TOTAL	1,302	3	-	1	205	26	87	-	-	2	1	154	25c, 11d,

(c) Salmonella Infection.

(d) Acute Lymphocytic Meningitis



1966]

[No. 412

4th Quarter

AN ROINN SLAINTE

TUARASCÁIL CINN RÁITHE

ar

BHREITHEANNA, BHÁSA AGUS PHÓSTAÍ

agus ar

GHALAIR ÁIRITHE AICÍDEACHA

QUARTERLY REPORT

ON

BIRTHS, DEATHS AND MARRIAGES

AND ON

CERTAIN INFECTIOUS DISEASES

DECEMBER QUARTER, 1966

AND

YEARLY SUMMARY, 1966

Compiled by the Central Statistics Office

To be purchased from the

GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1.
or through any Bookseller

Price Sixpence Net

CONTENTS

DECEMBER QUARTER, 1966

Text	PAGE
.....	51
Table I. Marriages, Births, Deaths and Infant Mortality	52
„ II. Deaths from Principal Causes	53
„ III. Deaths registered, classified by Cause and Age Group	54
„ IV. Deaths classified by Cause and by County of Residence of Deceased	56
„ V. Births classified by County of Occurrence and by Residence of Mother. Marriages classified by County in which registered. Birth and Marriage Rates	58
„ VI. Deaths classified by County of Occurrence and County of Residence of Deceased. Death, Infant Mortality and Neo-natal Mortality Rates for each County	59
„ VII. Births and Deaths assigned to the Principal Towns (other than the County Boroughs and Dun Laoghaire Borough)	60
„ VIII. Summary of cases of Infectious Diseases notified to the Department of Health	61

YEARLY SUMMARY, 1966

Text	67
Table 1 Deaths registered classified by Cause and Age Group		68
„ 2 Deaths classified by Cause and by County of Residence of Deceased		70
„ 3 Births classified by County of Occurrence and by Residence of Mother. Marriages classified by County in which registered. Birth and Marriage Rates		72
„ 4 Deaths classified by County of Occurrence and County of Residence of Deceased. Death, Infant Mortality and Neo-natal Mortality Rates for each County		73
„ 5 Births and Deaths assigned to the Principal Towns (other than the County Boroughs and Dun Laoghaire Borough)		74
„ 6 Summary of cases of Infectious Diseases notified to the Department of Health		75

NOTE - The figures in this report for 1965 and 1966 are provisional, while those relating to 1964 and earlier years are definitive. The numbers of births and deaths are exclusive of late registrations, i.e., births and deaths registered on the authority of An tArd-Chlaraitheoir. Births, deaths and marriages are registered in the county or county borough in which they occur. In the case of births and deaths assigned figures, i.e., those relating to residents of each area, are also shown.

DECEMBER QUARTER, 1966

MARRIAGES

The number of marriages returned during the quarter was 3,609 equivalent to an annual rate of 5.0 per 1,000 population; 0.2 above that for the same quarter in 1965.

Of the total marriages 3,506 were celebrated in accordance with the rites and ceremonies of the Catholic Church, equivalent to a rate of 5.1 per 1,000 of Catholics in the population. The remainder, 103 is equivalent to a rate of 2.8 per 1,000 of the population other than Catholic.

The number of marriages registered in each county and county borough in the quarter is shown in Table V.

BIRTHS

The number of births registered during the quarter was 14,737 of which 7,632 were those of males and 7,105 were those of females. This number represents a rate of 20.5 per 1,000 of the population per annum, being 0.2 above that for the fourth of 1965.

The total includes 394 illegitimate births, equivalent to 2.7 per cent of all births registered.

The number of births registered in each county and county borough, and also births assigned according to the area of normal residence of the mother, are shown in Table V.

DEATHS

The number of deaths registered during the quarter was 8,033 of which 4,411 were those of males and 3,622 were those of females. The equivalent annual rate was 11.2 per 1,000 population, the same as that for the fourth quarter of 1965.

Deaths classified according to cause, sex and age group are shown in Table III, and according to cause and area of residence in Table IV. The number of deaths registered in each area is shown in Table VI.

Tuberculosis. - Deaths from this disease numbered 79, including 76 from tuberculosis of the respiratory system and 3 from other forms of tuberculosis. Corresponding figures for the fourth quarter of 1965 were 93, 81 and 12 respectively. For rates see Table II.

Other Infectious Diseases. - There were 4 deaths from measles, one each from whooping cough, brucellosis and Weil's disease, 5 each from acute infectious encephalitis and infectious hepatitis and 7 from septicæmia.

Malignant Neoplasms. - Deaths under this heading numbered 1,352 being equivalent to a rate of 1.9 per 1,000 population. Of these, 600 or 44 per cent, were due to malignant neoplasms of the digestive system.

Diseases of Circulatory System. - Deaths under this heading numbered 3,059 being equivalent to a rate of 4.2 per 1,000 population. Of these, coronary and arteriosclerotic heart disease accounted for 1,436 or 47 per cent, while 718 or 23 per cent were due to other myocardial degeneration.

Diseases of Respiratory System. - Deaths from influenza numbered 32, pneumonia accounted for 314 deaths, while the remaining respiratory diseases caused 458 deaths; corresponding figures for the fourth quarter of 1965 were 18, 347 and 419 respectively.

Maternal Mortality. - There were 3 deaths due to complications of pregnancy and childbirth, equivalent to a rate of 0.2 per 1,000 births registered. The rate for the fourth quarter of 1965 was 0.1.

Infant Mortality. - There were 358 deaths of infants under one year of age and 222 of these occurred at ages under 4 weeks. The infant mortality rate was 24 per 1,000 births registered and neo-natal rate was 15. The rates for the corresponding quarter of 1965 were 26 and 18. The rates for counties are shown in Table VI.

Population. - The population in April, 1966 was 2,880,752; 1,448,214 males and 1,432,538 females according to the preliminary results of the Census of Population 1966. These figures are provisional.

Table 1.- MARRIAGES, BIRTHS and DEATHS registered in the years 1961 to 1966, by Quarters

YEAR AND QUARTER		NUMBERS					ANNUAL RATES			
		Mar- riages	Births	Deaths			Per 1,000 of estimated population			Deaths of infants under one year per 1,000 births
				All ages	Under one year	65 years and upwards	Mar- riages	Births	Deaths	
First Quarter	1961	2,270	14,745	12,060	514	8,797	3.2	20.9	17.1	35
	1962	2,841	15,331	10,822	532	7,534	4.0	21.7	15.3	35
	1963	2,705	15,445	10,687	458	7,580	3.9	21.8	15.1	30
	1964	2,500	15,224	9,201	438	6,188	3.5	21.4	13.0	29
	1965	3,440	15,185	9,278	377	6,728	4.8	21.3	13.0	25
First Quarter	1966	3,410	15,004	10,455	408	7,665	4.8	21.0	14.8	27
Second Quarter	1961	3,843	10,187	8,184	472	5,671	5.5	23.0	11.8	29
	1962	3,415	10,530	8,517	478	6,187	4.8	23.4	12.1	29
	1963	3,381	10,870	8,472	440	6,085	4.8	23.8	11.9	27
	1964	4,154	17,347	8,807	453	6,358	5.8	24.4	12.5	26
	1965	3,480	10,388	8,161	448	5,722	4.0	23.0	11.4	27
Second Quarter,	1966	3,349	16,507	9,114	414	6,662	4.7	22.9	12.7	25
Third Quarter	1961	5,854	15,473	6,885	434	4,522	8.3	22.0	9.8	28
	1962	6,230	15,738	6,074	381	4,759	8.8	22.3	9.6	24
	1963	5,945	16,376	7,141	384	4,890	8.4	23.1	10.1	24
	1964	6,125	10,565	6,004	410	4,600	8.5	23.3	9.8	25
	1965	6,274	17,303	7,320	395	5,013	8.8	24.4	10.8	23
Third Quarter,	1966	6,359	15,895	7,123	366	4,907	8.8	22.1	9.9	23
Fourth Quarter	1961	3,362	13,420	7,634	407	5,452	4.8	19.0	10.8	30
	1962	3,141	14,174	7,525	409	5,141	4.4	20.1	10.7	29
	1963	3,435	14,540	7,405	391	5,183	4.8	20.5	10.6	27
	1964	3,340	14,930	7,478	411	5,256	4.7	21.0	10.5	27
	1965	3,455	14,477	8,013	382	5,018	4.8	20.3	11.2	26
Fourth Quarter,	1966	3,509	14,737	8,033	358	5,587	5.0	20.5	11.2	24
Year	1961	15,320	50,825	34,703	1,827	24,442	5.4	21.2	12.3	31
	1962	15,627	61,782	33,838	1,800	23,621	5.5	21.9	12.0	29
	1963	15,556	63,246	33,795	1,682	23,747	5.5	22.3	11.9	27
	1964	16,128	64,072	32,630	1,712	22,402	5.7	22.5	11.5	27
	1965	16,064	63,443	32,778	1,602	23,081	5.8	22.2	11.5	25
Year 1966		16,727	62,143	34,725	1,546	24,821	5.8	21.6	12.1	25

Table II.—DEATHS from some of the PRINCIPAL CAUSES registered during each of the years 1961 to 1966 by quarterly periods

YEAR AND QUARTER		DEATHS FROM												ANNUAL DEATH RATES													
		Typhoid fever		Scarlet fever		Diphtheria		Whooping Cough		Acute poliomyelitis		Acute infectious encephalitis		Measles		Malignant neoplasms		Influenza		Gastro-enteritis (under 5 years)		Complications of pregnancy and childbirth		Per 1,000 population		Per 1,000 births	
		Other forms																Other forms		Tuberculosis				Tuberculosis		Complications of pregnancy and childbirth	
		Respiratory system																									
{	First Quarter	1961	152	13	1	1	1	1	6	1	2	10	1,198	946	23	4	0.22	0.02	1.7	1.3	0.3						
		1962	124	11	1	1	1	1	4	1	1	1	1,240	195	14	8	0.17	0.01	1.8	0.1	0.3						
		1963	119	11	1	1	1	1	1	1	1	1	1,180	68	9	5	0.18	0.01	1.7	0.1	0.3						
		1964	120	6	1	1	1	1	1	1	1	1	1,234	80	14	3	0.17	0.01	1.7	0.1	0.4						
		1965	91	4	1	1	1	1	1	1	1	1	1,245	55	17	3	0.13	0.01	1.7	0.1	0.2						
{	1st Quarter, 1966	1966	98	14	1	1	1	1	1	1	1	4	1,295	463	23	3	0.14	0.02	1.8	0.6	0.2						
		1967	73	15	1	1	1	1	1	1	1	1	1,166	131	35	7	0.10	0.02	1.7	0.2	0.4						
		1968	95	17	1	1	1	1	1	1	1	1	1,213	81	16	10	0.13	0.02	1.7	0.1	0.6						
		1969	94	10	1	1	1	1	1	1	1	1	1,240	60	13	6	0.12	0.01	1.7	0.1	0.4						
		1965	85	10	1	1	1	1	1	1	1	1	1,247	136	17	8	0.11	0.01	1.7	0.1	0.5						
{	2nd Quarter, 1966	1966	75	6	1	1	1	1	1	1	1	3	1,192	41	37	10	0.11	0.01	1.7	0.1	0.6						
		1967	76	7	1	1	1	1	1	1	1	2	1,222	415	33	7	0.11	0.01	1.7	0.6	0.4						
		1968	74	5	1	1	1	1	1	1	1	4	1,137	34	19	10	0.11	0.01	1.6	0.0	0.7						
		1969	78	13	1	1	1	1	1	1	1	1	1,184	25	18	5	0.10	0.01	1.7	0.0	0.3						
		1965	70	7	1	1	1	1	1	1	1	1	1,266	18	15	6	0.10	0.02	1.8	0.0	0.4						
{	3rd Quarter, 1966	1966	53	10	1	1	1	1	1	1	1	6	1,249	18	32	3	0.07	0.01	1.8	0.0	0.5						
		1967	56	9	1	1	1	1	1	1	1	1	1,260	39	32	5	0.08	0.01	1.7	0.1	0.3						
		1968	82	6	1	1	1	1	1	1	1	6	1,203	43	20	6	0.12	0.01	1.7	0.1	0.4						
		1969	90	7	1	1	1	1	1	1	1	1	1,251	17	17	4	0.13	0.01	1.8	0.0	0.3						
		1965	100	10	1	1	1	1	1	1	1	1	1,252	11	18	5	0.14	0.01	1.8	0.0	0.3						
{	Fourth Quarter	1964	83	10	1	1	1	1	1	1	1	2	1,217	17	16	7	0.11	0.01	1.7	0.0	0.5						
		1965	81	12	1	1	1	1	1	1	1	1	1,267	18	16	1	0.11	0.02	1.8	0.0	0.1						
		1966	76	3	1	1	1	1	1	1	1	4	1,352	32	32	3	0.11	0.00	1.9	0.0	0.2						
		1967	381	39	1	1	1	1	1	1	1	31	4,704	1,154	97	27	0.14	0.01	1.07	0.41	0.45						
		1968	387	44	1	1	1	1	1	1	1	12	4,897	318	65	27	0.14	0.01	1.73	0.11	0.44						
{	YEAR	1963	388	33	1	1	1	1	1	1	1	18	4,938	157	55	22	0.14	0.02	1.73	0.05	0.35						
		1964	368	33	1	1	1	1	1	1	1	14	4,862	316	85	30	0.13	0.01	1.74	0.11	0.47						
		1965	300	32	1	1	1	1	1	1	1	8	4,853	132	103	17	0.11	0.01	1.73	0.05	0.37						
		1966	306	33	1	1	1	1	1	1	1	10	5,129	949	120	18	0.11	0.01	1.78	0.33	0.29						
		1965	306	33	1	1	1	1	1	1	1	10	5,129	949	120	18	0.11	0.01	1.78	0.33	0.29						

Deaths, December Quarter, 1966.

Table 111. - Deaths registered during the Quarter ended 31st December, 1966, classified by Cause and Age Group.

INTERNATIONAL NUMBERS		CAUSE OF DEATH	All ages										15+						
Detailed List	Abbreviated B List		Persons	Males	Females	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over				
		Total deaths	8,033	4,411	3,622	358	63	53	54	79	186	514	1,139	2,054	3,533				
001-008	1	Tuberculosis of respiratory system	76	55	21	1	4	16	20	26	9				
010-019	2	Tuberculosis, other forms	3	2	1	1	1	.	.	1	.				
020-029	3	Syphilis and its sequelae				
040	4	Typhoid fever				
045-048	6	Dysentery, all forms				
050	7a	Scarlet fever				
051	7b	Streptococcal sore throat				
055	8	Diphtheria				
056	9	Whooping cough	1	1	.	1				
057	10	Meningococcal infections	1	.	1	.	.	1				
080	12	Acute poliomyelitis				
085	14	Measles	4	3	1	3	1				
Rem. of 001-138	17	Other infective and parasitic diseases*	28	13	15	3	1	1	1	2	5	3	4	5	3				
151	18a	Malignant neoplasms :— of stomach	205	120	85	5	10	47	76	67				
Rem. of 150-159	18b	of other digestive organs and peritoneum	395	194	201	1	.	1	.	1	10	34	68	149	131				
160-165	18c	of respiratory system	232	184	48	1	9	22	72	85	43				
170	18d	of breast	93	.	93	1	4	21	25	20	22				
171-181	18e	of genito-urinary system	176	79	97	.	2	.	.	1	9	21	32	50	61				
200-205	18f	of lymphatic and haematopoietic tissues	89	46	43	.	3	4	5	4	4	15	15	29	10				
Rem. of 140-205	18g	other	162	99	63	.	2	3	5	5	2	19	25	43	52				
210-239	19	Benign and unspecified neoplasms	19	12	7	.	1	.	1	1	2	2	5	3	4				
240	20	Diabetes mellitus	65	32	33	.	1	1	.	2	.	1	7	22	31				
290-293	21	Anaemias	30	9	21	.	.	1	.	.	.	2	2	4	21				
330-334	22	Vascular lesions of central nervous system	1,042	471	571	2	.	1	1	4	16	39	116	266	597				
340	23	Non-meningococcal meningitis	9	7	2	4	1	2	.	.				
400-402	24	Rheumatic fever				
410-416	25	Chronic rheumatic heart disease	75	31	44	.	.	.	2	4	6	15	17	13	18				
421	26a	Chronic endocarditis	59	32	27	2	8	4	24	20				

	20b	1,436	906	530	.	.	3	8	29	119	296	482	499
Coronary and arteriosclerotic heart disease													
Other myocardial degeneration	26c	718	363	355	13	31	128	546
Other diseases of heart	27	337	175	162	.	1	1	3	3	11	34	82	202
Hypertension with heart disease	28	125	57	68	2	4	15	41	63
Hypertension without mention of heart	29	81	44	37	1	9	14	24	33
Other diseases of circulatory system	46a	228	118	110	.	.	.	1	2	9	19	44	153
Influenza	30	32	14	18	1	2	3	6	20
Pneumonia	31	314	154	160	35	8	4	4	4	4	27	54	169
Bronchitis	32	366	254	112	1	1	.	1	5	18	72	120	147
Bronchiectasis	46b	12	6	6	1	2	3	5	1
Other diseases of respiratory system	46c	80	55	25	2	.	1	1	1	4	14	18	37
Ulcer of stomach and duodenum	33	42	29	13	1	.	.	.	2	2	12	15	10
Appendicitis	34	9	9	.	.	1	2	.	.	1	1	3	1
Intestinal obstruction and hernia	35	37	21	16	2	.	.	.	2	1	7	12	13
Gastritis and enteritis (except of newborn)†	36	48	27	21	24	7	1	1	1	.	2	4	8
Cirrhosis of liver	37	10	6	4	1	2	5	.	2
Other diseases of digestive system	46d	42	24	18	1	1	.	.	1	2	7	12	18
Nephritis and nephrosis	38	95	54	41	.	.	5	3	6	7	16	21	37
Hyperplasia of prostate	39	32	32	1	1	8	22
Complications of pregnancy and childbirth	40	3	-	3	.	.	.	2	1
Congenital malformations	41	131	69	62	109	12	4	2	1	.	.	1	.
Birth injuries, asphyxia and asflectasis	42	64	36	28	64
Infections of the newborn†	43	21	9	12	21
Other diseases of early infancy	44	69	39	30	69
Senility without psychosis	45a	281	134	147	10	271
Ill-defined and unknown causes	45b	77	36	41	.	1	.	.	.	5	3	21	47
All other diseases	49c	284	150	134	6	5	4	4	14	32	60	73	81
EXTERNAL CAUSES:													
Motor vehicle accidents	47	104	86	18	.	4	13	8	10	11	14	21	5
All other accidents	48	176	99	77	9	11	4	4	8	12	18	31	58
Suicide and self-inflicted injury	49	14	14	-	4	1	3	2	1
Homicide and operations of war	50	1	1	-

* See text. † See Table IV.

TABLE V - Births classified by County of Occurrence and by County of Residence of Mother. Marriages classified by County in which registered and Birth and Marriage Rates, for the Quarter ended 31st December, 1966.

Provinces, Counties and County Boroughs	Births registered	Births assigned to county of residence of mother				Marriages	
		Males	Females	Total	Rate per 1,000 population (a)	Registered	Rate per 1,000 population* (a)
TOTAL	14,737	7,632	7,105	14,737	20.5	3,609	5.0
Carlow	153	99	86	185	22.1	31	3.7
Dublin County Borough	5,079	1,602	1,495	3,097	21.8	971	6.8
Dun Laoghaire Borough	328	152	135	287	22.2	76	5.9
Dublin County (remainder)	141	702	626	1,328	30.6	183	4.2
Kildare	119	211	171	382	23.0	84	5.1
Kilkenny	243	145	150	295	19.5	60	4.0
Laois	160	129	87	216	19.3	49	4.4
Longford	93	71	68	139	19.2	24	3.3
Louth	736	200	189	389	22.5	77	4.5
Meath	60	181	173	354	21.0	78	4.6
Offaly	249	143	151	294	22.7	38	2.9
Westmeath	265	143	135	278	21.0	62	4.7
Wexford	393	254	240	494	23.7	77	3.7
Wicklow	96	173	153	326	21.6	84	5.6
LEINSTER	8,115	4,205	3,859	8,064	22.8	1,894	5.4
Clare	284	173	171	344	18.7	91	4.9
Cork County Borough	1,431	368	319	687	22.5	210	6.9
Cork County	364	533	478	1,011	18.6	243	4.5
Kerry	410	230	223	453	16.1	131	4.7
Limerick County Borough	716	167	138	305	21.8	125	8.9
Limerick County	19	153	179	332	16.3	73	3.6
Tipperary N.R.	252	149	110	259	19.2	91	6.8
Tipperary S.R.	388	187	206	393	22.8	59	3.4
Waterford County Borough	424	97	97	194	26.2	65	8.8
Waterford County	65	122	102	224	20.7	33	3.0
MUNSTER	4,353	2,179	2,023	4,202	19.6	1,121	5.2
Galway	806	339	317	656	17.7	154	4.2
Letttrim	66	57	60	117	15.3	22	2.9
Mayo	290	184	194	378	13.1	105	3.6
Roscommon	118	106	81	187	13.3	47	3.3
Sligo	212	103	102	205	16.1	47	3.7
CONNACHT	1,492	789	754	1,543	15.4	375	3.7
Cavan	167	115	118	233	17.3	42	3.1
Donegal	467	234	245	479	17.7	123	4.5
Monaghan	143	110	106	216	18.9	54	4.7
ULSTER (part of)	777	459	469	928	17.8	219	4.2

(a) Equivalent Annual Rate.

*Since these rates in the case of particular areas, are based on small numbers they are subject to fairly considerable random fluctuations and caution should be exercised in interpreting them.

TABLE VI. - Deaths classified by County of Occurrence and County of Residence of Deceased. Death, Infant Mortality and Neo-natal Mortality Rates for the Quarter ended 31st December 1966.

Provinces, Counties and County Boroughs	Deaths registered	Deaths assigned to county of residence of deceased			Rate per 1,000 population (a)	Deaths of infants under 1 year per 1,000 births* (b)	Neo-natal mortality* (c)
		Males	Females	Total			
TOTAL	8,033	4,411	3,622	8,033	11.2	24.3	15.1
Carlow	71	54	35	89	10.6	32.4	21.6
Dublin County Borough	1,859	785	682	1,467	10.3	28.4	14.5
Dun Laoghaire Borough	150	82	74	156	12.1	20.9	10.5
Dublin County (remainder)	225	175	146	321	7.4	24.1	13.6
Kildare	120	91	65	156	9.4	18.3	7.9
Kilkenny	188	108	88	196	13.0	30.5	23.7
Laois	113	71	47	118	10.6	4.6	.
Longford	97	65	43	108	14.9	36.0	21.6
Louth	168	100	67	167	9.7	28.3	20.6
Meath	193	119	103	222	13.2	36.7	22.6
Offaly	150	96	66	162	12.5	37.4	27.2
Westmeath	119	78	47	125	9.5	21.6	18.0
Wexford	199	122	101	223	10.7	20.2	14.2
Wicklow	129	100	86	186	12.3	24.5	15.3
LEINSTER	3,781	2,046	1,650	3,696	10.5	26.4	15.4
Clare	185	119	84	203	11.0	20.3	14.5
Cork County Borough	489	152	191	343	11.2	36.4	27.7
Cork County	545	360	315	675	12.4	21.8	13.8
Kerry	353	207	164	371	13.2	22.1	15.5
Limerick County Borough	147	62	58	120	8.6	19.7	9.8
Limerick County	206	107	117	224	11.0	15.1	9.0
Tipperary N.R.	144	96	64	160	11.9	23.2	15.4
Tipperary S.R.	254	144	106	250	14.5	22.9	15.3
Waterford County Borough	157	42	66	108	14.6	20.6	15.5
Waterford County	84	70	60	130	12.0	13.4	8.9
MUNSTER	2,564	1,359	1,225	2,584	12.0	23.1	15.7
Galway	420	216	176	392	10.6	22.9	16.8
Lettim	97	63	43	106	13.9	17.1	17.1
Mayo	285	180	140	320	11.1	15.9	7.9
Roscommon	157	103	73	176	12.5	10.7	5.3
Sligo	140	87	55	142	11.1	9.8	4.9
CONNACHT	1,099	649	487	1,136	11.3	17.5	11.7
Cavan	145	97	61	158	11.7	17.2	17.2
Donegal	328	190	140	330	12.2	27.1	18.8
Monaghan	116	70	59	129	11.3	18.5	4.6
ULSTER (part of)	589	357	260	617	11.9	22.6	15.1

(a) Equivalent annual rate based on population figures.

(b) Assigned to county of residence of mother.

(c) Deaths under 28 days per 1,000 births assigned to county of residence of mother.

* See footnote on opposite page.

Table VII. - Births and Deaths assigned to the Principal Towns (other than the County Boroughs and Dun Laoghaire Borough) during the Quarter ended 31st December 1966.

Towns	Population according to the Preliminary Report on 1966 Census	Births	Deaths	Annual rate per 1,000 population		Deaths of		Cause of death																			
				Births	Deaths	Infants under 1 year	Persons 65 years and over	Tuberculosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Measles	Acute infectious encephalitis	Malignant neoplasms			Vascular lesions of central nervous system	Heart diseases	Other diseases of circulatory system (a)	Influenza	Other diseases of respiratory system	Gastro-enteritis (under 2 years)	Complications of pregnancy and childbirth	Senility	All other diseases	External causes (accidents, etc.)
															Respiratory	Digestive system	Hepatic system										
TOTAL	131,933	670	338	20.3	10.2	17	229	4	26	11	26	54	104	13	1	28	1	.	19	41	10
Galway	24,495	99	34	16.2	5.6	2	21	1	.	6	4	11	2	2	7	1
Dundalk	19,834	86	56	17.3	11.3	2	40	1	4	3	4	10	16	2	.	7	.	.	1	6	2
Drogheda	17,823	116	31	26.0	7.0	3	18	2	2	1	2	5	5	.	.	3	.	.	3	5	3
Sligo	13,297	52	36	15.6	10.8	1	31	5	.	2	6	8	3	.	3	.	.	7	4	1
Bray	12,657	76	45	24.0	14.2	3	25	7	5	4	7	10	2	.	6	1	.	.	3	1
Wexford	11,533	69	39	23.9	13.5	2	28	2	2	1	9	13	1	.	5	.	.	.	5	1
Tralee	11,211	50	34	17.8	12.1	1	24	1	1	.	4	2	17	2	1	2	.	.	1	3	.
Clonmel	11,026	54	33	19.6	12.0	1	19	4	.	2	10	12	.	.	3	.	.	.	2	.
Kilkenny	10,057	68	30	27.0	11.9	2	23	1	1	12	1	.	2	.	.	5	6	2

(a) Including Rheumatic fever.

Table VIII.—continued

COUNTY OR COUNTY BOROUGH	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infective hepatitis	Infective mononucleosis	Influenzal pneumonia	Malaria
MAYO												
Urban	0000 0000	.	.	.	1	.	.	.	4	.	2	.
Rural	0000 0000	.	.	.	6
MEATH												
Urban	0000 0000	.	.	.	4	.	1	.	4	2	.	.
Rural	0000 0000	.	.	.	6	.	.	.	3	.	.	.
MONAGHAN												
Urban	0000 0000	.	.	.	1	.	1	.	2	.	.	.
Rural	0000 0000	.	.	.	3
OFFALY												
Urban	0000 0000	.	.	.	2
Rural	0000 0000	.	.	.	6
RORCOMMON												
Rural	0000 0000
SLIGO												
Urban	0000 0000	1	.	2	.	.	.
Rural	0000 0000
TIPPERARY N.E.												
Urban	0000 0000	1	.	.	.
Rural	0000 0000	3	.	.	.
TIPPERARY S.E.												
Urban	0000 0000	.	.	1	5
Rural	0000 0000	.	.	.	3	.	.	.	1	.	.	.
WATERFORD												
Urban	0000 0000
Rural	0000 0000	.	.	.	25	.	.	.	2	.	.	.
WESTMEATH												
Urban	0000 0000
Rural	0000 0000	.	.	.	3	.	.	.	4	.	.	.
WEXFORD												
Urban	0000 0000	.	.	.	10	.	6	.	1	.	1	.
Rural	0000 0000	.	.	.	6
WICKLOW												
Urban	0000 0000	.	.	.	3	.	.	.	2	.	.	.
Rural	0000 0000	.	.	.	1	.	.	.	8	.	.	.
ALL COUNTY BOROUGHS	.	.	1	304	2	36	.	3	122	9	2	.
ALL URBAN DISTRICTS	.	1	1	106	.	11	.	1	25	3	9	.
ALL RURAL DISTRICTS	.	2	3	159	.	16	.	3	57	9	5	.
TOTAL 0000 0000 0000	.	3	5	569	2	63	.	7	204	21	16	.

Table VIII.—continued

COUNTY OR COUNTY BOROUGH	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Timea capitis	Trachoma	Typhoid	Well's disease	Whooping cough	Other notifiable infectious diseases
COUNTY BOROUGH													
CORK	14	.	1	.	6	.	.	1	.	.	.	3	1d
DUBLIN	417	.	1	.	56	57	48	1	.	1	.	92	10c, 1d
LIMERICK	50	.	.	.	3	1	16
WATERFORD	3
COUNTIES													
CARLOW													
Urban	1	.	.	.
Rural
CAVAN													
Urban	2	.	5
Rural	5
CLARE													
Urban	2	.
Rural	9	.
CORK													
Urban	11	1	12	2d
Rural
DONEGAL													
Urban	49	4	.
Rural
DUBLIN													
Urban	25	.	.	.	20	.	5	6	1c,
Rural	83	.	.	.	32	.	25	7	1c, 4d
GALWAY													
Urban	13	1	11	.
Rural	206	2
KERRY													
Urban	2
Rural	29	1	.	.	.	1	.	.
KILDARE													
Urban
Rural	2
KILKENNY													
Urban
Rural	125	11	12	.
LAOIS													
Rural	1
LEITRIM													
Rural
LIMERICK													
Rural	7	6
LONGFORD													
Urban
Rural
LOUTH													
Urban
Rural

(c) Salmonella Infection.

(d) Acute Lymphocytic Meningitis.

64. Notification of Infectious Diseases, December Quarter, 1966

Table VIII.—continued

COUNTY OR COUNTY BOROUGH	Meninge	Pasttybold B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Wet's disease	Whooping cough	Other notifiable infectious diseases
MAYO													
Urban
Rural	10	1	2	.
MEATH													
Urban	3	4
Rural	19	2	6	.
MONAGHAN													
Urban	1	.	.
Rural	6
OFFALY													
Urban
Rural	1
ROSCOMMON													
Rural	9	1	7	.
SLIGO													
Urban	42	.	.	.	2	.	5
Rural	1	.	.	.	1	.	3
TIPPERARY N.R.													
Urban	13	.	.	.	2
Rural	49	.	.	.	1
TIPPERARY S.R.													
Urban	10	1
Rural	1
WATERFORD													
Urban	18	1
Rural	1
WESTMATH													
Urban
Rural	83	.	.	.	2	.	1	22	3c.
WEXFORD													
Urban	1
Rural	2	2
WICKLOW													
Urban	27	.	.	.	4	1	1	.
Rural	51	5	1	.
ALL COUNTY BOROUGHS	484	.	2	.	65	58	64	2	.	1	.	95	10c, 2d
ALL URBAN DISTRICTS	152	.	.	.	28	1	19	9	1c.
ALL RURAL DISTRICTS	748	1	.	.	38	.	67	.	.	1	3	93	4c, 6d
TOTAL	1,384	1	2	.	131	59	150	2	.	2	3	197	15c, 8d

(c) Salmonella Infection.

(d) Acute Lymphocytic Meningitis.

(e) Typhus (Brill's Dis

Yearly Summary
1966

YEAR 1966

MARRIAGES

The number of marriages returned during the year was 16,727 equivalent to an annual rate of 5.8 per thousand of the population; the same as that for 1965. Of the total marriages 16,160 (or 5.9 per thousand of the estimated number of Catholics in the population) were celebrated in accordance with the rites and ceremonies of the Catholic Church. The remainder (567) is equivalent to 3.8 per thousand of the population other than Catholic.

BIRTHS

The number of births registered during the year was 62,143, compared with 63,443 for 1965.

The number of boys was 32,142 and the number of girls was 30,001, the proportion being 1,071 boys to 1,000 girls.

The annual birth rate was 21.6 per thousand population, and was 0.6 below the rate for 1965.

There were 1,413 illegitimate births in 1966, equivalent to 2.3 per cent of all births. The corresponding figure in 1965 was 1,389 illegitimate births or 2.2 per cent of the total births.

DEATHS

The number of deaths registered in 1966 was 34,725 which is 1,947 more than in the preceding year. The number of deaths of males was 18,931 and the number of female deaths was 15,794.

The annual death rate in 1966 was 12.1 per thousand population, being 0.6 above that for 1965.

Tuberculosis

Deaths from this disease in 1966 numbered 339 (306 from tuberculosis of the respiratory system and 33 from all other forms). Corresponding figures for 1965 were 332, 300, 32 respectively. The death rate from all forms of tuberculosis in 1966 was 0.12 per 1,000 population.

Other Infectious Diseases

There were 10 deaths from measles, 2 from whooping cough, 9 from infectious encephalitis and one from dysentery registered during 1966.

Malignant Neoplasms

Deaths under this heading numbered 5,129, being equivalent to a rate of 1.78 per 1,000 population. Of these 2,267 or 44 per cent were due to malignant neoplasms of the digestive system.

Diseases of Circulatory System

Deaths under this heading numbered 13,162, being equivalent to a rate of 4.6 per 1,000 population. Of these, coronary and arteriosclerotic heart disease accounted for 5,854 or 44 per cent, while 3,170 or 24 per cent were due to other myocardial degeneration.

Diseases of Respiratory System

Deaths from influenza numbered 949, pneumonia accounted for 1,566 deaths, while the remaining respiratory diseases caused 2,088 deaths; corresponding figures for the year 1965 were 132, 1,387 and 1,828 respectively.

Maternal Mortality

There were 18 deaths due to complications of pregnancy and childbirth, equivalent to a rate of 0.29 per 1,000 births registered. The corresponding rate for 1965 was 0.27.

Infant Mortality

There were 1,546 deaths of infants under one year of age and 1,018 of these occurred at ages under 4 weeks. The infant mortality rate was 25 per 1,000 births registered and the neonatal rate was 16. The rates for counties are shown in Table 4.

Population

The population in April 1966 was 2,880,752; 1,448,214 males and 1,432,538 females according to the preliminary results of the Census of Population 1966. These figures are provisional.

Table 1 - Deaths registered during the Year 1966 classified by Cause and Age Group.

INTERNATIONAL NUMBERS	Abbreviated B List	CAUSE OF DEATH	All ages			AGE										75 and over
			Persons	Males	Females	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over	
		Total deaths	34,725	18,931	15,794	1,546	237	212	282	299	738	2,122	4,468	8,790	16,031	
001-008	1	Tuberculosis of respiratory system	306	223	83	1	.	.	2	9	25	48	85	92	44	
010-019	2	Tuberculosis, other forms	33	21	12	1	3	.	2	3	8	7	3	3	3	
020-029	3	Syphilis and its sequelae	3	3	3	.	
040	4	Typhoid fever	
045-048	6	Dysentery, all forms	1	1	1	
050	7a	Scarlet fever	
051	7b	Streptococcal sore throat	1	.	1	1	
055	8	Diphtheria	
056	9	Whooping cough	2	2	.	1	1	
057	10	Meningococcal infections	6	3	3	1	1	1	.	1	.	.	1	1	.	
080	12	Acute poliomyelitis	
085	14	Measles	10	6	4	4	5	1	
Rem. of 001-138	17	Other infective and parasitic diseases	63	34	29	6	5	6	5	5	5	9	11	5	6	
151	18a	Malignant neoplasms of stomach	829	463	366	.	.	.	1	3	15	64	146	309	291	
Rem. of 150-159	18b	of other digestive organs and peritoneum	1,438	730	708	1	1	2	2	6	35	130	260	515	486	
160-165	18c	of respiratory system	866	692	174	2	25	121	270	309	139	
170	18d	of breast	368	1	367	1	35	87	78	92	75	
171-181	18e	of genito-urinary system	722	397	325	.	8	3	2	2	26	76	134	232	239	
200-205	18f	of lymphatic and haematopoietic tissues	294	166	128	1	13	14	14	13	21	41	68	77	32	
Rem. of 140-205	18g	other	612	349	263	1	5	13	16	13	29	68	104	166	197	
210-239	19	Benign and unspecified neoplasms	91	51	40	3	5	1	1	4	5	13	21	20	18	
260	20	Diabetes mellitus	283	119	164	.	1	2	1	5	2	11	47	108	106	
290-293	21	Anaemia	136	56	80	1	.	3	1	3	1	9	15	27	76	
330-334	22	Vascular lesions of central nervous system	4,285	1,938	2,347	5	2	4	15	9	51	163	468	1,170	2,398	
340	23	Non-meningococcal meningitis	31	22	9	15	2	2	2	.	1	3	3	2	1	
400-402	24	Rheumatic fever	7	5	2	.	.	1	.	2	3	1	.	.	.	
410-416	25	Chronic rheumatic heart disease	293	130	163	.	.	.	5	10	24	59	50	58	87	
421	26a	Chronic endocarditis	244	137	107	.	.	1	3	3	8	23	32	74	100	

420	Coronary and arteriosclerotic heart disease	5,854	3,693	2,161	.	.	3	20	108	445	1,090	1,991	2,197
422	Other myocardial degeneration	3,170	1,599	1,571	.	.	2	1	6	31	114	569	2,447
430-434	Other diseases of heart	1,555	764	791	.	2	3	6	11	53	133	416	925
440-443	Hypertension with heart disease	606	270	336	4	13	66	175	348
444-447	Hypertension without mention of heart	332	164	168	.	.	.	1	4	42	52	78	150
450-468	Other diseases of circulatory system	1,101	551	550	.	.	1	4	15	36	78	220	747
480-483	Influenza	949	475	474	17	2	2	2	8	43	67	215	591
490-493	Pneumonia	1,566	776	790	148	50	13	18	11	55	138	317	796
500-502	Bronchitis	1,632	1,121	511	4	5	3	2	4	85	320	490	701
526	Bronchiectasis	75	40	35	.	.	1	2	2	7	12	31	17
540-541	Other diseases of respiratory system	381	230	151	9	1	3	3	1	23	52	92	186
550-553	Ulcer of stomach and duodenum	240	171	69	2	2	.	.	1	8	23	46	77
560, 561, 570	Appendicitis	23	19	4	.	3	1	2	.	2	2	7	6
572	Intestinal obstruction and hernia	154	70	84	7	1	.	.	5	5	25	44	67
581	Gastritis and enteritis (except of newborn)†	210	114	96	92	11	3	5	5	10	14	24	46
590-594	Cirrhosis of liver	58	36	22	3	12	18	17	8
600-639	Other diseases of digestive system	180	90	90	4	5	.	1	7	16	27	58	57
640-659	Nephritis and nephrosis	346	202	144	2	.	2	22	12	27	61	79	126
660-669	Hyperplasia of prostate	166	166	1	5	30	130
670-679	Complications of pregnancy and childbirth	18	.	18	.	.	.	2	8
680-689	Congenital malformations	505	266	239	405	33	22	11	6	8	12	1	3
690-699	Birth injuries, asphyxia and atelectasis	312	191	121	311	1
700-709	Infections of the newborn†	98	53	45	98
710-719	Other diseases of early infancy	329	196	133	329
720-729	Senility without psychosis	1,308	636	672
730-739	Ill-defined and unknown causes	327	178	149	6	1	.	.	2	17	19	71	211
740-749	All other diseases	1,149	567	582	29	20	26	28	26	117	191	310	344
750-759	EXTERNAL CAUSES:	351	280	71	.	13	38	53	38	50	43	47	30
760-769	Motor vehicle accidents	725	404	321	41	35	40	38	42	53	69	105	251
770-779	All other accidents	68	51	17	.	.	4	4	8	12	16	20	3
780-789	Suicide and self-inflicted injury	13	9	4	1	.	5	5	1	3	1	.	1
790-799	Homicide and operations of war

* See text.

† See Table IV.

Deaths by Counties, Year 1966

Table 2. - Deaths classified by Cause and by County of Residence of Deceased for the Year 1966.

Provinces, Counties and County Boroughs	Population according to the Preliminary Report on 1966 Census	Total deaths	Deaths of		Cause of death															All other diseases	External causes (accidents, etc.)			
			Infants under 1 year	Persons 65 years and over	Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Measles	Acute infectious encephalitis	Malignant neoplasms			Vascular lesions of central nervous system	Heart diseases	Other diseases of circulatory system (a)	Influenza	Other diseases of respiratory system (under 2 years) (b)			Complications of preg- nancy and childbirth	Benlity	
												Respiratory	Other forms	Digestive system										Respiratory system
TOTAL	2,880,752	34,725	1,546	24,821	306	33	.	2	.	10	9	2,267	866	1,996	4,285	11,722	1,440	949	3,554	120	18	1,308	4,583	1,157
Carlow	33,479	385	24	273	1	1	.	24	6	23	52	135	12	17	26	2	.	8	62	16
Dublin Co. Borough	568,271	5,014	342	3,739	79	5	.	1	.	5	3	388	268	387	654	1,777	185	92	892	22	3	30	824	199
Dun Laoghaire Borough	51,771	630	31	459	6	1	.	.	.	1	.	35	23	43	79	214	33	8	68	4	.	4	86	25
Dublin Co. (remainder)	173,748	1,247	121	773	9	1	1	88	48	76	142	378	45	21	158	7	1	10	208	54
Kildare	66,486	670	47	423	4	1	41	25	31	71	236	22	15	86	9	.	15	89	25
Kilkenny	60,472	820	39	599	6	47	14	38	76	264	54	20	68	6	1	94	110	22
Laois	44,662	538	15	402	6	38	11	36	73	181	38	19	51	1	.	21	49	14
Longford	28,943	488	22	379	4	1	42	9	15	62	194	19	23	19	1	.	18	55	26
Louth	69,162	792	47	530	14	2	47	14	51	107	246	18	18	82	.	.	34	127	32
Meath	67,279	869	43	629	5	51	12	59	121	299	24	42	81	2	1	21	115	36
Offaly	51,707	567	31	405	5	32	8	31	77	157	36	24	65	3	.	34	82	13
Westmeath	52,849	614	23	460	2	1	.	.	.	1	.	44	11	28	65	257	18	10	54	2	1	14	82	24
Wexford	83,355	1,097	37	770	15	4	59	18	47	159	369	119	37	96	2	1	12	124	35
Wicklow	60,281	718	28	507	4	49	29	44	116	238	29	15	67	5	.	7	96	19
LINNET	1,412,465	15,249	858	10,348	160	14	.	1	.	9	5	985	496	909	1,854	4,945	652	361	1,813	66	8	322	2,109	540

Clare	73,539	984	36	757	5	2	53	15	46	77	402	39	31	96	4	1	53	126	34
Cork County Borough	122,066	1,452	78	976	19	5	109	43	85	157	489	63	18	193	7	2	29	194	39
Cork County	217,459	2,924	92	2,200	17	2	201	63	172	386	983	146	72	277	4	1	123	377	99
Kerry	112,642	1,592	45	1,196	12	1	.	.	1	.	.	.	1	99	26	82	160	597	85	48	93	1	.	94	232	60
Limerick Co. Borough	55,885	519	26	342	4	40	21	26	62	157	18	17	73	5	.	9	64	23
Limerick County	81,387	1,084	37	788	7	2	68	25	65	143	388	38	21	99	.	1	44	137	46
Tipperary N.R.	53,832	734	31	547	3	28	15	43	76	252	22	34	70	2	.	96	79	14
Tipperary S.R.	68,946	931	48	673	8	1	72	20	48	128	370	27	14	86	8	.	25	100	24
Waterford Co. Borough	29,642	430	27	312	12	30	12	14	58	114	8	29	80	2	.	3	52	16
Waterford County	43,344	619	17	465	6	43	9	35	88	173	23	34	71	3	.	31	80	23
MUNSTER	858,742	11,269	437	8,256	93	12	.	.	1	.	.	.	3	743	249	616	1,335	3,925	469	318	1,138	36	5	587	1,441	378
Galway	148,190	1,738	69	1,254	16	3	1	96	24	123	199	587	65	52	198	8	2	89	214	61
Leitrim	30,532	453	6	364	2	32	7	26	42	177	16	4	36	1	1	51	47	11
Mayo	115,588	1,534	32	1,189	11	1	91	25	89	236	525	51	47	84	4	.	139	194	37
Roscommon	56,130	792	29	624	5	38	5	52	114	324	26	18	58	1	1	25	103	18
Sligo	51,078	738	18	590	3	1	72	22	40	108	197	42	34	68	1	.	45	88	17
CONNACHT	401,518	5,255	154	4,021	37	5	1	329	83	330	699	1,810	200	155	444	15	4	353	646	144
Cavan	53,815	832	25	613	5	50	12	32	138	334	28	26	55	.	.	34	93	25
Donegal	108,486	1,570	59	1,184	8	2	115	20	81	157	522	64	70	160	2	.	88	232	49
Monaghan	45,726	550	21	399	3	1	45	6	28	102	196	27	19	44	1	1	4	62	21
ULSTER (part of)	208,027	2,952	105	2,196	16	2	1	210	38	141	397	1,042	119	115	259	3	1	126	367	95

(a) Includes Rheumatic Fever

(b) Comprises part of E36 and part of E43 in Table III

TABLE 3 - Births classified by County of Occurrence and by County of Residence of Mother. Marriages classified by County in which registered and Birth and Marriage Rates, for the Year 1966.

Provinces, Counties and County Boroughs	Births registered	Births assigned to county of residence of mother			Rate per 1,000 population	Marriages	
		Males	Females	Total		Registered	Rate per 1,000 population*
TOTAL	62,143	32,142	30,001	62,143	21.6	16,727	5.8
Carlow	697	446	388	834	24.9	144	4.3
Dublin County Borough	20,594	6,687	6,092	12,779	22.5	4,767	3.4
Dun Laoghaire Borough	1,395	545	510	1,055	20.4	373	7.2
Dublin County (remainder)	645	2,779	2,570	5,349	30.8	747	4.3
Kildare	556	841	801	1,642	24.7	376	5.7
Kilkenny	940	605	590	1,195	19.8	290	4.8
Laois	701	479	416	895	20.0	220	4.9
Longford	450	284	321	605	20.9	118	4.1
Louth	3,017	868	824	1,692	24.5	458	6.6
Meath	269	803	706	1,509	22.4	404	6.0
Offaly	1,015	597	602	1,199	23.2	239	4.6
Westmeath	1,233	712	619	1,331	25.2	318	6.0
Wexford	1,609	1,001	952	1,953	23.4	394	4.7
Wicklow	410	677	612	1,289	21.4	371	6.2
LEINSTER	33,531	17,324	16,003	33,327	23.6	9,219	6.5
Claro	1,128	730	719	1,449	19.7	322	4.4
Cork County Borough	6,075	1,605	1,384	2,989	24.5	901	7.4
Cork County	1,603	2,216	2,138	4,354	20.0	1,170	5.4
Kerry	1,755	998	957	1,955	17.4	541	4.8
Limerick County Borough	3,438	752	665	1,417	25.4	458	8.2
Limerick County	94	821	800	1,621	19.9	316	3.9
Tipperary N.R.	1,053	580	558	1,138	21.1	299	5.6
Tipperary S.R.	1,526	767	728	1,495	21.7	340	4.9
Waterford County Borough	1,593	341	374	715	24.1	295	9.9
Waterford County	246	474	403	877	20.2	182	4.2
MUNSTER	18,511	9,284	8,726	18,010	21.0	4,824	5.6
Galway	3,614	1,566	1,332	2,898	19.6	740	5.0
Lettertrim	271	238	205	443	14.5	106	3.5
Mayo	1,439	922	935	1,857	16.1	400	3.5
Roscommon	508	445	388	833	14.8	213	3.8
Sligo	984	450	481	931	18.2	213	4.2
CONNAUGHT	6,816	3,621	3,341	6,962	17.3	1,672	4.2
Cavan	739	507	487	994	18.5	235	4.4
Donegal	1,921	970	993	1,963	18.1	547	5.0
Monaghan	625	436	451	887	19.4	230	5.0
ULSTER (part of)	3,285	1,913	1,931	3,844	18.5	1,012	4.9

*Since these rates in the case of particular areas, are based on small numbers they are subject to fairly considerable random fluctuations and caution should be exercised in interpreting them.

Table 4. - Deaths classified by County of Occurrence and County of Residence of Deceased. Death, Infant Mortality and Neo-natal Mortality Rates for the Year 1966.

Provinces, Counties and County Boroughs	Deaths registered	Deaths assigned to county of residence of deceased				Deaths of infants under 1 year per 1,000 births ^(a)	Neo-natal mortality ^(b)
		Males	Females	Total	Rate per 1,000 population		
TOTAL	34,725	18,931	17,794	34,725	12.1	24.9	16.4
Carlow	344	203	182	385	11.5	28.8	22.8
Dublin County Borough	7,248	2,983	2,831	5,814	10.2	26.8	16.9
Dun Laoghaire Borough	628	290	340	630	12.2	29.4	20.9
Dublin County (remainder)	899	675	572	1,247	7.2	22.6	14.0
Kildare	519	410	260	670	10.1	28.6	14.6
Kilkenny	769	448	372	820	13.6	32.6	23.4
Laois	491	306	232	538	12.0	16.8	12.3
Longford	432	301	187	488	16.9	36.4	28.1
Louth	816	441	351	792	11.5	27.8	23.0
Monaghan	731	468	401	869	12.9	28.5	18.6
Offaly	498	312	255	567	11.0	25.9	16.7
Westmeath	615	356	258	614	11.6	17.3	12.0
Wexford	1,012	590	507	1,097	13.2	18.9	11.3
Wicklow	527	397	321	718	11.9	21.7	15.5
LEINSTER	15,529	8,180	7,069	15,249	10.8	25.5	16.7
Clare	927	581	403	984	13.4	24.8	18.6
Cork County Borough	2,077	701	751	1,452	11.9	26.1	17.7
Cork County	2,357	1,593	1,331	2,924	14.4	21.1	12.6
Kerry	1,528	885	707	1,592	14.1	23.0	13.3
Limerick County Borough	684	253	266	519	9.3	18.3	11.3
Limerick County	963	599	485	1,084	13.3	22.8	17.3
Tipperary N.H.	670	426	308	734	13.6	27.2	16.7
Tipperary S.H.	929	538	393	931	13.5	32.1	24.1
Waterford County Borough	647	205	225	430	14.5	37.8	29.4
Waterford County	417	341	278	619	14.3	19.4	13.7
MUNSTER	11,199	6,122	5,147	11,269	13.1	24.3	16.3
Galway	1,866	986	752	1,738	11.7	23.8	14.1
Letttrim	405	267	186	453	14.8	13.5	11.3
Mayo	1,421	829	705	1,534	13.3	17.2	9.2
Roscommon	724	458	334	792	14.1	34.8	22.8
Sligo	736	425	313	738	14.4	19.3	15.0
CONNACHT	5,152	2,965	2,290	5,255	13.1	22.1	13.8
Cavan	772	488	344	832	15.5	25.2	19.1
Donegal	1,547	879	691	1,570	14.5	30.1	21.4
Monaghan	526	297	253	550	12.0	23.7	12.4
ULSTER (part of)	2,845	1,664	1,288	2,952	14.2	27.3	18.7

(a) Assigned to county of residence of mother.

(b) Deaths under 28 days per 1,000 births assigned to county of residence of mother.
See footnote on opposite page.

Table 5. - Births and Deaths assigned to the Principal Towns (other than the County Boroughs and Dun Laoghaire Borough) during the Year 1966.

TOWN	Population according to the Preliminary Report on 1966 Census	Births	Deaths	Annual rate per 1,000 population		Deaths of		Cause of death																					
				Births	Deaths	Infants under 1 year	Persons 65 years and over	Tuberculosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Measles	Acute infectious encephalitis	Malignant neoplasms			Vascular lesions of central nervous system	Heart diseases	Other diseases of circulatory system (a)	Influenza	Other diseases of respiratory system	Gastro-enteritis (under 2 years)	Complications of pregnancy and childbirth	Benignity	All other diseases	External causes (accidents, etc.)		
															Respiratory	Other forms													
																	Respiratory											Other forms	
TOTAL	131,933	2,939	1,357	22.3	10.3	80	913	16	2	99	44	89	183	422	49	23	140	9	-	62	183	36
Galway	24,495	448	177	18.3	7.2	9	111	10	4	20	26	55	5	2	20	1	-	3	22	9
Dundalk	19,834	405	201	20.4	10.1	13	147	4	11	5	10	33	65	4	5	28	-	-	2	32	2
Drogheda	17,823	469	179	26.3	10.0	13	106	4	2	11	8	17	23	47	1	1	11	-	-	13	30	11
Sligo	13,297	272	159	20.5	12.0	6	125	2	17	2	9	14	36	10	4	10	-	-	24	28	3
Bray	12,657	278	141	22.0	11.1	7	87	1	14	11	12	19	38	7	-	20	1	-	-	16	2
Wexford	11,533	314	131	27.2	11.4	4	92	9	2	4	22	52	9	1	18	-	-	-	13	1
Tralee	11,211	228	128	20.3	11.4	7	90	1	10	5	6	14	44	5	5	12	-	-	6	17	3
Clonmel	11,026	265	113	24.0	10.2	11	70	1	9	4	6	21	38	3	2	10	5	-	4	8	2
Kilkenny	10,057	260	128	25.9	12.7	10	85	3	8	3	5	11	47	5	3	11	2	-	10	17	3

(a) Including Rheumatic fever.

Table 6 - continued

COUNTY OR COUNTY BOROUGH	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infective hepatitis	Infective mononucleosis	Influenzal pneumonia	Malaria	
MAYO													
Urban	0000 0000	.	.	.	3	.	.	.	28	1	18	.	
Rural	0000 0000	.	.	.	23	.	.	3	28	1	18	.	
MEATH													
Urban	0000 0000	.	.	.	34	.	.	.	15	.	.	.	
Rural	0000 0000	.	1	.	39	.	4	.	31	2	.	.	
MONAGHAN													
Urban	0000 0000	.	.	.	5	.	1	.	1	.	1	.	
Rural	0000 0000	.	.	.	9	.	.	.	9	.	1	.	
OFFALY													
Urban	0000 0000	.	.	.	13	.	.	.	2	.	.	.	
Rural	0000 0000	.	1	.	29	.	3	.	9	.	1	.	
RORCOMMON													
Rural	0000 0000	1	.	.	3	.	.	.	2	.	4	.	
SLIGO													
Urban	0000 0000	.	.	.	9	.	.	.	4	.	.	.	
Rural	0000 0000	1	.	2	.	.	.	
TIPPERARY N.R.													
Urban	0000 0000	1	.	.	.	
Rural	0000 0000	.	2	.	.	.	1	.	4	.	8	.	
TIPPERARY S.R.													
Urban	0000 0000	.	.	2	35	.	6	.	1	.	42	.	
Rural	0000 0000	.	.	.	3	.	1	.	1	.	42	.	
WATERFORD													
Urban	0000 0000	1	.	.	.	
Rural	0000 0000	.	1	.	36	.	.	.	3	.	.	.	
WESTMEATH													
Urban	0000 0000	2	.	.	.	
Rural	0000 0000	.	.	.	9	.	.	1	29	.	.	.	
WEXFORD													
Urban	0000 0000	.	.	1	36	.	10	.	4	.	4	.	
Rural	0000 0000	.	.	.	17	.	2	1	3	.	17	.	
WICKLOW													
Urban	0000 0000	.	.	.	28	.	.	.	34	.	.	.	
Rural	0000 0000	.	.	.	8	.	.	.	19	1	.	.	
ALL COUNTY BOROUGHS		.	2	4	1,158	2	153	1	19	391	38	70	1
ALL URBAN DISTRICTS		.	2	7	394	.	36	.	5	112	11	42	.
ALL RURAL DISTRICTS		1	14	6	615	1	103	.	22	292	29	266	.
TOTAL	0000 0000 0000	1	18	17	2,167	3	292	1	46	795	78	378	1

Table 6 - continued

COUNTY OR COUNTY BOROUGH	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Timea capitis	Trachoma	Typhoid	Well's disease	Whooping cough	Other notifiable infectious diseases
COUNTY BOROUGH													
CORK	127	.	1	.	43	27	13	2	.	.	.	10	2d,
DUBLIN	2056	.	1	1	674	186	163	4	.	4	.	261	23c, 13d,
LIMERICK	72	1	.	.	3	6	22	13	2c,
WATERFORD	3
COUNTIES													
CARLOW													
Urban	26	1	.	.	.
Rural	10
CAVAN													
Urban	181
Rural	2	.	.	.	3	.
CLARE													
Urban	2	9	.
Rural
CORK													
Urban	41	.	1	.	4	.	20	.	.	.	1	12	1c, 9c, 3d,
Rural	5	7	.
DONEGAL													
Urban	435	.	.	.	73	2	20	.	.	1	.	27	2c, 1d,
Rural	760	.	.	.	108	.	75	25	6c, 7d,
GALWAY													
Urban	98	1	2	5	.
Rural	594	.	.	.	3	.	8	19	1c,
KERRY													
Urban	2	.	.	.	21	.	3	33	.
Rural	44	1	.	.	3	.	3	.	.	.	2	.	.
KILDARE													
Urban	25
Rural	3	.	3
KILKENNY													
Urban	4	1
Rural	193	14	23	.
LAOIS													
Rural	91	1d,
LEITRIM													
Rural	1
LIMERICK													
Rural	11	8	2c,
LONGFORD													
Urban
Rural	4
LOUTH													
Urban	2
Rural	1	1	.	.	.

(c) Salmonella Infection.

(d) Acute Lymphocytic Meningitis.

Table 6 - continued

COUNTY OR COUNTY BOROUGH	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Throat capitis	Trachoma	Typhoid	Waller's disease	Whooping cough	Other notifiable infectious diseases
MAYO													
Urban	3	1	.
Rural	132	2	6	12	.
MEATH													
Urban	77	4	16	6	.
Rural	72	.	.	.	1	.	4
MONAGHAN													
Urban
Rural	8	1	.	.
OFFALY													
Urban	49	1	2	.
Rural	103	2
ROSCOMMON													
Rural	91	.	.	1	.	.	1	11	.
SLIGO													
Urban	90	.	.	.	26	.	6
Rural	6	.	.	.	3	.	5	1	.
TIPPERARY N.R.													
Urban	34	.	.	.	2	1c,
Rural	52	.	.	.	1
TIPPERARY S.R.													
Urban	10	1	12	.
Rural	85	2	.
WATERFORD													
Urban	33	1	1c,
Rural	47	1	1c,
WESTMEATH													
Urban	1	1	31	7c,
Rural	240	.	.	.	2	.	5
WEXFORD													
Urban	11	5	1	1d,
Rural	35	.	.	.	3	.	6	3	.	.	.	1	.
WICKLOW													
Urban	101	.	.	.	30	1	9	1	.
Rural	215	.	.	.	2	.	6	3	.	.	.	1	.
ALL COUNTY BOROUGHES	2,258	1	2	1	720	219	198	6	.	4	.	284	25c, 15d,
ALL URBAN DISTRICTS	977	.	.	.	152	9	65	1	.	1	.	49	3c, 1d,
ALL RURAL DISTRICTS	3,089	3	1	1	133	.	181	8	.	2	4	196	27c, 12d,
TOTAL	6,324	4	3	2	1,005	228	444	15	.	7	4	529	55c, 28d,

c) Salmonella Infection. (d) Acute Lymphocytic Meningitis. (e) Typhus (Brill's Disease)



